137555-2 1 PWB 137556-2 1 PWA Data							137555-3 1 PWB 137556-3 1 PWA Data					
		mm	mm	Component	Type of				mm	mm	Component	Type of
Ref. Des.	Part Number	X	Y	Component Placement	Type of Component	Diffs	Ref. Des.2	Part Number2	X2	Y2	Component Placement	Type of Component2
C1	A11427-102K2	258.44	357.5	Bottom	SMD	CPN	C1	A11427-104K2	258.44	357.5	Bottom	SMD
C10	136803-1	154.94	377.19	Top	Hand		C10	136803-1	154.94	377.19	Top	Hand
C100	C10515-2	457.33	374.65	Bottom	SMD		C100	C10515-2	457.33	374.65	Bottom	SMD
C101	C10515-2	445.77	364.49	Top	SMD		C101	C10515-2	445.77	364.49	Top	SMD
C102	C10515-2	460.88	360.05	Top	SMD		C102	C10515-2	460.88	360.05	Top	SMD
C103	102467-1	450.21	354.33	Top	Radial		C103	102467-1	450.21	354.33	Top	Radial
C104	102438-101K2	438.79	356.24	Bottom	SMD		C104	102438-101K2	438.79	356.24	Bottom	SMD
C105	126551-1	417.83	370.84	Top	SMD		C105	126551-1	417.83	370.84	Top	SMD
C106	102438-560K2	433.07	372.36	Bottom	SMD		C106	102438-560K2	433.07	372.36	Bottom	SMD
C107	A11369-270K2	427.99	372.36	Bottom	SMD		C107	A11369-270K2	427.99	372.36	Bottom	SMD
C108	102438-820K2	426.72	386.08	Bottom	SMD		C108	102438-820K2	426.72	386.08	Bottom	SMD
C109	A11427-103K2	330.2	297.81	Bottom	SMD		C109	A11427-103K2	330.2	297.81	Bottom	SMD
C11	136803-1	191.13	374.65	Top	Hand		C11	136803-1	191.13	374.65	Top	Hand
C110	A11369-471K2	459.11	320.68	Bottom	SMD		C110	A11369-471K2	459.11	320.68	Bottom	SMD
C111	A11427-103K2	468	330.2	Bottom	SMD		C111	A11427-103K2	468	330.2	Bottom	SMD
C112	A11427-104K2	486.41	321.31	Bottom	SMD		C112	A11427-104K2	486.41	321.31	Bottom	SMD
C113	127299-1	469.9	331.47	Top	SMD		C113	127299-1	469.9	331.47	Top	SMD
C114	127299-1	476.88	345.44	Top	SMD		C114	127299-1	476.88	345.44	Top	SMD
C115	A11427-103K2	469.26	343.54	Bottom	SMD	Y 0.13	C115	A11427-103K2	469.26	343.41	Bottom	SMD
C116	A11427-472K2	466.73	313.69	Bottom	SMD		C116	A11427-472K2	466.73	313.69	Bottom	SMD
C117	A11427-272K2	336.55	327.66	Bottom	SMD		C117	A11427-272K2	336.55	327.66	Bottom	SMD
C118	A10434-104JD	351.79	332.74	Top	Radial		C118	A10434-104JD	351.79	332.74	Top	Radial
C119	A11427-472K2	334.01	327.66	Bottom	SMD		C119	A11427-472K2	334.01	327.66	Bottom	SMD
C12	A11427-104K2	350.52	358.14	Bottom	SMD		C12	A11427-104K2	350.52	358.14	Bottom	SMD
C120	TBD 0805 CAP	334.01	313.06	Bottom	SMD		C120	TBD 0805 CAP	334.01	313.06	Bottom	SMD
C121	C10196-1	294.39	332.99	Top	Radial	X 1.02 Y 1.52	C121	C10196-1	293.37	331.47	Top	Radial
C122	A11427-104K2	284.48	335.92	Bottom	SMD		C122	A11427-104K2	284.48	335.92	Bottom	SMD
C123	A11427-104K2	473.71	337.19	Bottom	SMD		C123	A11427-104K2	473.71	337.19	Bottom	SMD
C124	C10196-1	417.83	362.58	Top	Radial	Y 1.27	C124	C10196-1	417.83	361.31	Top	Radial
C125	102438-101K2	331.47	313.06	Bottom	SMD		C125	102438-101K2	331.47	313.06	Bottom	SMD
C126	A11427-104K2	462.92	382.27	Bottom	SMD		C126	A11427-104K2	462.92	382.27	Bottom	SMD
C127	A11427-104K2	459.74	364.49	Bottom	SMD	X -0.13	C127	A11427-104K2	459.87	364.49	Bottom	SMD
C128	A11427-104K2	435.61	387.35	Bottom	SMD	X -0.13	C128	A11427-104K2	435.74	387.35	Bottom	SMD
C129	A11427-104K2	435.61	371.22	Bottom	SMD		C129	A11427-104K2	435.61	371.22	Bottom	SMD
C130	A11427-104K2	309.25	335.92	Bottom	SMD		C130	A11427-104K2	309.25	335.92	Bottom	SMD
C131	A11427-104K2	307.34	320.29	Bottom	SMD		C131	A11427-104K2	307.34	320.29	Bottom	SMD
C132	A11427-104K2	281.31	320.29	Bottom	SMD		C132	A11427-104K2	281.31	320.29	Bottom	SMD
C133	A11427-104K2	276.86	335.92	Bottom	SMD		C133	A11427-104K2	276.86	335.92	Bottom	SMD
C135	102438-101K2	469.26	313.69	Bottom	SMD		C135	102438-101K2	469.26	313.69	Bottom	SMD
C136	103210-1	356.24	324.49	Top	Radial		C136	103210-1	356.24	324.49	Top	Radial
C137	103210-1	349.25	324.49	Top	Radial		C137	103210-1	349.25	324.49	Top	Radial
C139	A11427-104K2	299.72	320.29	Bottom	SMD		C139	A11427-104K2	299.72	320.29	Bottom	SMD
C140	C 7091-9	430.02	372.75	Top	SMD		C140	C 7091-9	430.02	372.75	Top	SMD
C141	102438-101K2	461.01	389.25	Top	SMD		C141	102438-101K2	461.01	389.25	Top	SMD
C142	A11369-330J2	456.56	389.89	Top	SMD	X 0.12	C142	A11369-330J2	456.44	389.89	Top	SMD
C143	A11427-103K5	454.02	373.51	Bottom	SMD		C143	A11427-103K5	454.02	373.51	Bottom	SMD
C144	C10515-2	297.81	328.04	Bottom	SMD		C144	C10515-2	297.81	328.04	Bottom	SMD
C145	A11427-104K2	481.33	343.54	Bottom	SMD		C145	A11427-104K2	481.33	343.54	Bottom	SMD
C146	A11427-104K2	424.69	336.42	Bottom	SMD		C146	A11427-104K2	424.69	336.42	Bottom	SMD
C147	A11427-104K2	448.94	338.84	Bottom	SMD	X -0.13 Y 0.13	C147	A11427-104K2	449.07	338.71	Bottom	SMD
C148	103210-1	438.79	331.47	Top	Radial		C148	103210-1	438.79	331.47	Top	Radial
C2	A10434-473JD	285.75	376.94	Top	Radial		C2	A10434-473JD	285.75	376.94	Top	Radial
C20	TBD D 8917-3	154.94	377.19	Top	Hand		C20	TBD D 8917-3	154.94	377.19	Top	Hand
C200	C10515-2	400.05	374.52	Bottom	SMD		C200	C10515-2	400.05	374.52	Bottom	SMD
C201	C10515-2	380.37	365.76	Top	SMD		C201	C10515-2	380.37	365.76	Top	SMD
C202	C10515-2	390.52	362.71	Top	SMD		C202	C10515-2	390.52	362.71	Top	SMD
C203	102467-1	389.25	356.24	Top	Radial		C203	102467-1	389.25	356.24	Top	Radial
C204	102438-101K2	379.1	356.24	Bottom	SMD		C204	102438-101K2	379.1	356.24	Bottom	SMD
C205	126551-1	366.39	364.49	Top	SMD	Y 0.63	C205	126551-1	366.39	363.86	Top	SMD
C206	102438-560K2	373.38	372.75	Bottom	SMD		C206	102438-560K2	373.38	372.75	Bottom	SMD
C207	A11369-270K2	368.3	372.75	Bottom	SMD		C207	A11369-270K2	368.3	372.75	Bottom	SMD
C208	102438-820K2	368.3	386.08	Bottom	SMD		C208	102438-820K2	368.3	386.08	Bottom	SMD
C209	A11427-103K2	330.2	224.16	Bottom	SMD		C209	A11427-103K2	330.2	224.16	Bottom	SMD
C21	TBD D 8917-3	191.13	374.65	Top	Hand		C21	TBD D 8917-3	191.13	374.65	Top	Hand
C210	A11369-471K2	384.81	319.4	Bottom	SMD		C210	A11369-471K2	384.81	319.4	Bottom	SMD
C211	A11427-103K2	394.97	328.3	Bottom	SMD		C211	A11427-103K2	394.97	328.3	Bottom	SMD
C212	A11427-104K2	415.93	326.39	Bottom	SMD		C212	A11427-104K2	415.93	326.39	Bottom	SMD
C213	127299-1	398.78	336.93	Top	SMD		C213	127299-1	398.78	336.93	Top	SMD
C214	127299-1	398.78	347.35	Top	SMD		C214	127299-1	398.78	347.35	Top	SMD
C215	A11427-103K2	394.72	341.63	Bottom	SMD		C215	A11427-103K2	394.72	341.63	Bottom	SMD
C216	A11427-472K2	379.1	186.69	Bottom	SMD		C216	A11427-472K2	379.1	186.69	Bottom	SMD
C217	A11427-272K2	228.6	171.45	Bottom	SMD		C217	A11427-272K2	228.6	171.45	Bottom	SMD
C218	A10434-104JD	275.59	363.22	Top	Radial		C218	A10434-104JD	275.59	363.22	Top	Radial
C219	A11427-472K2	231.14	171.45	Bottom	SMD		C219	A11427-472K2	231.14	171.45	Bottom	SMD
C22	C10515-2	482.6	364.49	Bottom	SMD	X 1.52 Y 0.38	C22	C10515-2	481.08	364.11	Bottom	SMD
C220	TBD 0805 CAP	228.6	186.69	Bottom	SMD		C220	TBD 0805 CAP	228.6	186.69	Bottom	SMD
C221	C10196-1	240.03	331.6	Top	Radial	CPN	C221	TBD C10196-1	240.03	331.6	Top	Radial
C222	A11427-104K2	234.31	335.92	Bottom	SMD		C222	A11427-104K2	234.31	335.92	Bottom	SMD
C223	A11427-104K2	399.42	334.64	Bottom	SMD		C223	A11427-104K2	399.42	334.64	Bottom	SMD
C224	C10196-1	364.49	354.96	Top	Radial	Y 1.27	C224	C10196-1	364.49	353.69	Top	Radial
C225	102438-101K2	236.85	186.06	Bottom	SMD		C225	102438-101K2	236.85	186.06	Bottom	SMD
C226	A11427-104K2	407.67	382.27	Bottom	SMD		C226	A11427-104K2	407.67	382.27	Bottom	SMD
C227	A11427-104K2	400.05	364.49	Bottom	SMD		C227	A11427-104K2	400.05	364.49	Bottom	SMD
C228	A11427-104K2	372.75	390.52	Bottom	SMD		C228	A11427-104K2	372.75	390.52	Bottom	SMD
C229	A11427-104K2	375.92	372.75	Bottom	SMD		C229	A11427-104K2	375.92	372.75	Bottom	SMD
C230	A11427-104K2	251.46	335.92	Bottom	SMD		C230	A11427-104K2	251.46	335.92	Bottom	SMD
C231	A11427-104K2	250.82	319.4	Bottom	SMD		C231	A11427-104K2	250.82	319.4	Bottom	SMD
C232	A11427-104K2	234.31	319.4	Bottom	SMD		C232	A11427-104K2	234.31	319.4	Bottom	SMD
C233	A11427-104K2	226.69	335.92	Bottom	SMD		C233	A11427-104K2	226.69	335.92	Bottom	SMD
C235	102438-101K2	374.01	186.69	Bottom	SMD		C235	102438-101K2	374.01	186.69	Bottom	SMD
C236	103210-1	355.6	173.99	Top	Radial		C236	103210-1	355.6	173.99	Top	Radial
C237	103210-1	347.98	173.99	Top	Radial		C237	103210-1	347.98	173.99	Top	Radial
C239	A11427-104K2	243.21	319.4	Bottom	SMD		C239	A11427-104K2	243.21	319.4	Bottom	SMD
C24	A11427-104K2	483.87	383.54	Bottom	SMD		C24	A11427-104K2	483.87	383.54	Bottom	SMD
C240	C 7091-9	370.84	372.75	Top	SMD		C240	C 7091-9	370.84	372.75	Top	SMD
C241	102438-101K2	415.29	382.27	Top	SMD		C241	102438-101K2	415.29	382.27	Top	SMD
C242	A11369-330J2	388.62	386.08	Top	SMD	X -0.13	C242	A11369-330J2	388.75	386.08	Top	SMD
C243	A11427-103K5	395.35	377.19	Bottom	SMD		C243	A11427-103K5	395.35	377.19	Bottom	SMD
C244	C10515-2	241.3	325.37	Bottom	SMD		C244	C10515-2	241.3	325.37	Bottom	SMD
C245	A11427-104K2	407.04	341.63	Bottom	SMD		C245	A11427-104K2	407.04	341.63	Bottom	SMD
C248	103210-1	395.61	174.63	Top	Radial		C248	103210-1	395.61	174.63	Top	Radial
C25	A11427-104K2	486.41	364.49	Bottom	SMD	X 2.03	C25	A11427-104K2	484.38	364.49	Bottom	SMD
C27	TBD C10196-1	318.13	381.63	Top	Radial	Removed						
C28	A11427-104K2	350.52	367.67	Bottom	SMD		C28	A11427-104K2	350.52	367.67	Bottom	SMD
C29	C10196-1	348.62	372.75	Top	Radial		C29	C10196-1	348.62	372.75	Top	Radial
C3	C 7377-2	201.73	324.51	Top	Hand		C3	C 7377-2	201.73	324.51	Top	Hand
C30	A11427-104K2	337.19	372.75	Top	SMD		C30	A11427-104K2	337.19	372.75	Top	SMD
C31	C 4477-3	356.87	389.89	Top	Radial		C31	C 4477-3	356.87	389.89	Top	Radial
C4	C 4477-3	306.7	388.62	Top	Radial		C4	C 4477-3	306.7	388.62	Top	Radial
C5	C 4477-3	306.7	377.82	Top	Radial		C5	C 4477-3	306.7	377.82	Top	Radial
C500	A11369-120K2	166.37	195.78	Top	SMD		C500	A11369-120K2	166.37	195.78	Top	SMD
C501	A11369-120K2	166.45	201.5	Top	SMD		C501	A11369-120K2	166.45	201.5	Top	SMD
C502	A11369-120K2	171.7	190.7	Top	SMD		C502	A11369-120K2	171.7	190.7	Top	SMD
C503	102467-1	197.03	197.49	Top	Radial		C503	102467-1	197.03	197.49	Top	Radial
C504	102438-221K2	160.73	195.78	Top	SMD		C504	102438-221K2	160.73	195.78	Top	SMD
C505	A11427-104K2	163.83	195.78	Top	SMD		C505	A11427-104K2	163.83	195.78	Top	SMD
C506	A11427-104K2	166.62	181.61	Top	SMD		C506	A11427-104K2	166.62	181.61	Top	SMD
C509	TBD 125517-1	199.57	197.49	Top	SMD		C509	TBD 125517-1	199.57	197.49	Top	SMD
C510	A11427-103K2	189.94	164.64	Bottom	SMD		C510	A11427-103K2	189.94	164.64	Bottom	SMD
C6	TBD 0805 CAP	322.58	384.81	Bottom	SMD		C6	TBD 0805 CAP	322.58	384.81	Bottom	SMD
C600	A11369-120K2	163.91	181.61	Top	SMD		C600	A11369-120K2	163.91	181.61	Top	SMD
C601	A11369-120K2	158.83	175.46	Top	SMD		C601	A11369-120K2	158.83	175.46	Top	SMD
C602	A11369-120K2	158.75	186.89	Top	SMD		C602	A11369-120K2	158.75	186.89	Top	SMD
C603	102467-1	185.75	186.69	Top	Radial		C603	102467-1	185.75	186.69	Top	Radial
C604	102438-221K2	169.62	181.61	Top	SMD		C604	102438-221K2	169.62	181.61	Top	SMD
C605	A11427-104K2	166.55	160.02	Top	SMD		C605	A11427-104K2	166.55	160.02	Top	SMD
C609	TBD 125517-1	189.56	186.69	Top	SMD		C609	TBD 125517-1	189.56	186.69	Top	SMD
C610	A11427-103K2	189.94	202.74	Bottom	SMD		C610	A11427-103K2	189.94	202.74	Bottom	SMD
C7	TBD 0805 CAP	322.58	378.46	Bottom	SMD		C7	TBD 0805 CAP	322.58	378.46	Bottom	SMD
C8	TBD C 7377-2	188.39	324.51	Top	Hand		C8	TBD C 7377-2	188.39	324.51	Top	Hand
D1	125594-1	297.05	377.06	Top	SMD		D1	125594-1	297.05	377.06	Top	SMD
D101	C 9283-0	465.45	356.24	Bottom	SMD		D101	C 9283-0	465.45	356.24	Bottom	SMD
D102	C 9283-0	460.38	356.24	Bottom	SMD		D102	C 9283-0	460.38	356.24	Bottom	SMD
D103	C 9283-0	430.53	355.98	Bottom	SMD		D103	C 9283-0	430.53	355.98	Bottom	SMD
D104	C 9283-0	435.74	361.44	Bottom	SMD	Y -0.26	D104	C 9283-0	435.74	361.7	Bottom	SMD
D105	C 9283-0	420.37	379.73	Bottom	SMD		D105	C 9283-0	420.37	379.73	Bottom	SMD
D106	C 9283-0	463.55	336.55	Bottom	SMD	X -0.13	D106	C 9283-0	463.68	336.55	Bottom	SMD
D107	131648-1	441.71	324.49	Top	SMD		D107	131648-1	441.71	324.49	Top	SMD
D108	126549-1	472.44	330.83	Bottom	SMD	X 0.76	D108	126549-1	471.68	330.83	Bottom	SMD
D109	131648-1	438.53	324.49	Top	SMD		D109	131648-1	438.53	324.49	Top	SMD
D110	126549-1	473.07	349.38	Bottom	SMD		D110	126549-1	473.07	349.38	Bottom	SMD
D111	C 9283-0	465.45	349.25	Bottom	SMD		D111	C 9283-0	465.45	349.25	Bottom	SMD
D112	C 9283-0	481.96	337.19	Bottom	SMD		D112	C 9283-0	481.96	337.19	Bottom	SMD
D113	C 9283-0	485.77	346.71	Bottom	SMD		D113	C 9283-0	485.77	346.71	Bottom	SMD
D114	137615-1	352.43	289.56	Top	SMD	CPN Y -0.63	D114	C10422-1	352.43	290.19	Top	Axial
D115	137615-1	352.43	269.24	Top	SMD	CPN Y -0.64	D115	C10422-1	352.43	269.88	Top	Axial
D117	C 9283-0	455.93	389.25	Bottom	SMD		D117	C 9283-0	455.93	389.25	Bottom	SMD
D118	C 9283-0	461.01	389.25	Bottom	SMD		D118	C 9283-0	461.01	389.25	Bottom	SMD
D119	C 9283-0	346.71	357.5	Bottom	SMD		D119	C 9283-0	346.71	357.5	Bottom	SMD
D120	C 9283-0	333.38	357.5	Bottom	SMD		D120	C 9283-0	333.38	357.5	Bottom	SMD
D121	TBD C 9283-0	419.1	353.69	Bottom	SMD		D121	TBD C 9283-0	419.1	353.69	Bottom	SMD
D122	C 9283-0	445.77	379.73	Bottom	SMD		D122	C 9283-0	445.77	379.73	Bottom	SMD
D123	C 9283-0	295.27	356.24	Bottom	SMD		D123	C 9283-0	295.27	356.24	Bottom	SMD
D124	C 9283-0	285.12	320.68	Bottom	SMD		D124	C 9283-0	285.12	320.68	Bottom	SMD
D125	C 9283-0	313.69	320.68	Bottom	SMD		D125	C 9283-0	313.69	320.68	Bottom	SMD
D126	C 9283-0	458.47	327.02	Top	SMD	X 0.13 Y -0.39	D126	C 9283-0	458.34	327.41	Top	SMD
D127	C 9283-0	458.47	332.11	Top	SMD	Y -0.12	D127	C 9283-0	458.47	332.23	Top	SMD
D128	C 9283-0	306.07	329.56	Bottom	SMD		D128	C 9283-0	306.07	329.56	Bottom	SMD
D129	C 9283-0	289.56	320.68	Bottom	SMD		D129	C 9283-0	289.56	320.68	Bottom	SMD
D130	C 9283-0	447.68	361.31	Bottom	SMD		D130	C 9283-0	447.68	361.31	Bottom	SMD
D131	TBD C 9773-0	458.47	347.98	Top	SMD		D131	TBD C 9773-0	458.47	347.98	Top	SMD
						New	D132	133264-1	454.56	322.88	Top	SMD
						New	D133	C 9283-0	457.71	322.58	Top	SMD
D2	125594-1	292.23	377.06	Top	SMD		D2	125594-1	292.23	377.06	Top	SMD
D201	C 9283-0	403.86	356.24	Bottom	SMD		D201	C 9283-0	403.86	356.24	Bottom	SMD
D202	C 9283-0	399.42	356.24	Bottom	SMD		D202	C 9283-0	399.42	356.24	Bottom	SMD
D203	C 9283-0	371.48	356.24	Bottom	SMD		D203	C 9283-0	371.48	356.24	Bottom	SMD
D204	C 9283-0	379.73	361.95	Bottom	SMD		D204	C 9283-0	379.73	361.95	Bottom	SMD
D205	C 9283-0	363.86	379.73	Bottom	SMD		D205	C 9283-0	363.86	379.73	Bottom	SMD
D206	C 9283-0	389.64	334.39	Bottom	SMD		D206	C 9283-0	389.64	334.39	Bottom	SMD
D207	131648-1	391.16	167	Top	SMD		D207	131648-1	391.16	167	Top	SMD
D208	126549-1	398.78	328.17	Bottom	SMD		D208	126549-1	398.78	328.17	Bottom	SMD
D209	131648-1	391.16	163.83	Top	SMD		D209	131648-1	391.16	163.83	Top	SMD
D210	126549-1	398.78	348.11	Bottom	SMD		D210	126549-1	398.78	348.11	Bottom	SMD
D211	C 9283-0	391.16	347.98	Bottom	SMD		D211	C 9283-0	391.16	347.98	Bottom	SMD
D212	C 9283-0	407.67	334.64	Bottom	SMD		D212	C 9283-0	407.67	334.64	Bottom	SMD
D213	C 9283-0	410.85	342.26	Bottom	SMD		D213	C 9283-0	410.85	342.26	Bottom	SMD
D214	137615-1	352.43	221.62	Top	SMD	CPN Y 1.28	D214	C10422-1	352.43	220.34	Top	Axial
D215	137615-1	352.43	204.47	Top	SMD	CPN Y 4.44	D215	C10422-1	352.43	200.03	Top	Axial
D217	C 9283-0	396.24	382.27	Bottom	SMD		D217	C 9283-0	396.24	382.27	Bottom	SMD
D218	C 9283-0	411.48	382.27	Bottom	SMD		D218	C 9283-0	411.48	382.27	Bottom	SMD
D221	TBD C 9283-0	356.24	356.24	Bottom	SMD		D221	TBD C 9283-0	356.24	356.24	Bottom	SMD
D222	C 9283-0	386.08	379.73	Bottom	SMD		D222	C 9283-0	386.08	379.73	Bottom	SMD
D223	C 9283-0	235.59	356.24	Bottom	SMD		D223	C 9283-0	235.59	356.24	Bottom	SMD
D224	C 9283-0	238.13	319.4	Bottom	SMD		D224	C 9283-0	238.13	319.4	Bottom	SMD
D225	C 9283-0	257.18	321.31	Bottom	SMD		D225	C 9283-0	257.18	321.31	Bottom	SMD
D226	C 9283-0	385.44	326.39	Top	SMD	X -1.53 Y 0.38	D226	C 9283-0	386.97	326.01	Top	SMD
D227	C 9283-0	385.44	332.11	Top	SMD	X 2.28 Y 6.1	D227	C 9283-0	383.16	326.01	Top	SMD
D229	C 9283-0	233.04	310.51	Bottom	SMD		D229	C 9283-0	233.04	310.51	Bottom	SMD
D230	C 9283-0	387.22	365.13	Top	SMD		D230	C 9283-0	387.22	365.13	Top	SMD
						New	D232	133264-1	382.78	336.85	Top	SMD
						New	D233	C 9283-0	386.97	330.83	Top	SMD
D3	125594-1	297.05	387.86	Top	SMD		D3	125594-1	297.05	387.86	Top	SMD
D4	125594-1	292.23	387.86	Top	SMD		D4	125594-1	292.23	387.86	Top	SMD
D5	125594-1	255.91	363.22	Top	SMD		D5	125594-1	255.91	363.22	Top	SMD
D6	125594-1	268.61	360.68	Top	SMD		D6	125594-1	268.61	360.68	Top	SMD
D7	C10370-2	343.54	373.38	Top	SMD		D7	C10370-2	343.54	373.38	Top	SMD
D9	C 9283-0	334.01	372.75	Bottom	SMD		D9	C 9283-0	334.01	372.75	Bottom	SMD
E1	102476-1	343.54	155.57	Top	SMD		E1	102476-1	343.54	155.57	Top	SMD
E100	102477-1	377.82	155.57	Top	SMD		E100	102477-1	377.82	155.57	Top	SMD
E101	102476-1	366.39	155.57	Top	SMD		E101	102476-1	366.39	155.57	Top	SMD
E102	102477-1	389.25	155.57	Top	SMD		E102	102477-1	389.25	155.57	Top	SMD
E200	102477-1	442.6	155.57	Top	SMD		E200	102477-1	442.6	155.57	Top	SMD
E201	102476-1	431.17	155.57	Top	SMD		E201	102476-1	431.17	155.57	Top	SMD
E202	102477-1	454.02	155.57	Top	SMD		E202	102477-1	454.02	155.57	Top	SMD
F1	134732-1	298.58	382.52	Top	SMD		F1	134732-1	298.58	382.52	Top	SMD
F2	134732-1	290.7	382.52	Top	SMD		F2	134732-1	290.7	382.52	Top	SMD
H1	HOLE CONNECTI	490.22	394.97	Top	Hole	Removed						
H10	HOLE CONNECTI	251.46	172.09	Top	Hole	Removed						
H11	HOLE MTG .171	385.44	172.09	Top	Hole	Removed						
H12	HOLE CONNECTI	454.66	172.09	Top	Hole	Removed						
H13	HOLE CONNECTI	267.97	327.66	Top	Hole	Removed						
H14	HOLE MTG .171	341	346.71	Top	Hole	Removed						
H15	HOLE CONNECTI	430.53	327.66	Top	Hole	Removed						
H16	HOLE CONNECTI	134.62	364.49	Top	Hole	Removed						
H17	HOLE CONNECTI	446.3	152.58	Top	Hole	Removed						
H18	HOLE MTG .171	219.71	349.25	Top	Hole	Removed						
H2	HOLE CONNECTI	134.62	394.97	Top	Hole	Removed						
H3	HOLE Number 6 S	194.28	302.95	Top	Hole	Removed						
H4	HOLE CONNECTI	490.22	154.94	Top	Hole	Removed						
H405	HOLE CONNECTI	413.46	392.94	Top	Hole	Removed						
H406	HOLE CONNECTI	423.47	392.94	Top	Hole	Removed						
H5	HOLE CONNECTI	215.9	154.94	Top	Hole	Removed						
H59	HOLE CONNECTI	134.62	154.94	Top	Hole	Removed						
H6	HOLE Number 6 S	194.28	240.41	Top	Hole	Removed						
H7	HOLE Number 6 S	194.28	346.89	Top	Hole	Removed						
H8	HOLE CONNECTI	338.35	153.67	Top	Hole	Removed						
H9	HOLE CONNECTI	230.4	153.67	Top	Hole	Removed						
HS1	102606-6	355.6	252.98	Top	Hand		HS1	102606-6	355.6	252.98	Top	Hand
HS2	102606-6	215.9	252.98	Top	Hand		HS2	102606-6	215.9	252.98	Top	Hand
HS3	102606-7	355.6	179.07	Top	Hand		HS3	102606-7	355.6	179.07	Top	Hand
HS4	102606-7	215.9	179.07	Top	Hand		HS4	102606-7	215.9	179.07	Top	Hand
HW1	102608-1	224.18	274.7	Top	Hand		HW1	102608-1	224.18	274.7	Top	Hand
HW10	A10020-7	341.02	300.1	Top	Hand		HW10	A10020-7	341.02	300.1	Top	Hand
HW11	A10020-7	224.18	200.79	Top	Hand		HW11	A10020-7	224.18	200.79	Top	Hand
HW12	A10020-7	341.02	226.19	Top	Hand		HW12	A10020-7	341.02	226.19	Top	Hand
HW13	A10020-7	363.88	274.7	Top	Hand		HW13	A10020-7	363.88	274.7	Top	Hand
HW14	A10020-7	480.72	300.1	Top	Hand		HW14	A10020-7	480.72	300.1	Top	Hand
HW15	A10020-7	363.88	200.79	Top	Hand		HW15	A10020-7	363.88	200.79	Top	Hand
HW16	A10020-7	480.72	226.19	Top	Hand		HW16	A10020-7	480.72	226.19	Top	Hand
HW17	132491-1	224.18	274.7	Top	Hand		HW17	132491-1	224.18	274.7	Top	Hand
HW18	132491-1	341.02	300.1	Top	Hand		HW18	132491-1	341.02	300.1	Top	Hand
HW19	132491-1	363.88	274.7	Top	Hand		HW19	132491-1	363.88	274.7	Top	Hand
HW2	102608-1	341.02	300.1	Top	Hand		HW2	102608-1	341.02	300.1	Top	Hand
HW20	132491-1	480.72	300.1	Top	Hand		HW20	132491-1	480.72	300.1	Top	Hand
HW21	132491-1	224.18	200.79	Top	Hand		HW21	132491-1	224.18	200.79	Top	Hand
HW22	132491-1	341.02	226.19	Top	Hand		HW22	132491-1	341.02	226.19	Top	Hand
HW23	132491-1	363.88	200.79	Top	Hand		HW23	132491-1	363.88	200.79	Top	Hand
HW24	132491-1	480.72	226.19	Top	Hand		HW24	132491-1	480.72	226.19	Top	Hand
HW25	102579-1	150.67	160.02	Top	Hand		HW25	102579-1	150.67	160.02	Top	Hand
HW26	102579-1	150.62	217.07	Top	Hand		HW26	102579-1	150.62	217.07	Top	Hand
HW27	101016-1	191.77	229.87	Top	Hand		HW27	101016-1	191.77	229.87	Top	Hand
HW29	137555-2	131.44	149.22	Top	Hand	Removed						

W90	102608-1	264.88	274.7	Top	Hand			W90	102608-1	264.88	274.7	Top	Hand
W90	102318-1	264.88	249.1	Top	Hand			W90	102318-1	264.02	249.1	Top	Hand
W92	102608-1	173.36	364.4	Bottom	Hand			W92	102608-1	173.36	364.4	Bottom	Hand
W92	102180-1	173.36	364.4	Bottom	Hand			W92	102180-1	173.36	364.4	Bottom	Hand
W93	102180-1	272.42	249.5	Bottom	Hand			W93	102180-1	272.42	249.5	Bottom	Hand
W93	102180-2	272.42	249.5	Bottom	Hand			W93	102180-2	272.42	249.5	Bottom	Hand
W95	IC 6419-2	396.88	386.7	Top	Hand			W95	IC 6419-2	396.88	386.7	Top	Hand
W95	IC 6419-3	396.88	386.7	Top	Hand			W95	IC 6419-3	396.88	386.7	Top	Hand
W97	102609-1	418.48	381.7	Top	Hand	CPN		W97	TBD 1303B-1	418.48	381.7	Top	Hand
W98	102609-1	418.48	381.7	Top	Hand	CPN		W98	TBD 1303B-1	418.48	381.7	Top	Hand
W99	136119-1	230.76	293.6	Top	Hand			W99	136119-1	230.76	293.6	Top	Hand
W44	102608-1	480.72	300.1	Top	Hand			W44	102608-1	480.72	300.1	Top	Hand
W44	102318-1	480.72	315.6	Top	Hand			W44	102318-1	480.72	315.6	Top	Hand
W45	102577-1	235.35	214.9	Top	Hand			W45	102577-1	235.35	214.9	Top	Hand
W45	102577-2	235.35	214.9	Top	Hand			W45	102577-2	235.35	214.9	Top	Hand
W46	126517-2	230.76	218.6	Top	Hand			W46	126517-2	230.76	218.6	Top	Hand
W46	126517-3	228.8	227.3	Top	Hand			W46	126517-3	228.8	227.3	Top	Hand
W48	126517-2	230.76	204.6	Top	Hand			W48	126517-2	230.76	204.6	Top	Hand
W48	126517-3	228.8	213.2	Top	Hand			W48	126517-3	228.8	213.2	Top	Hand
W49	126517-2	230.76	191.4	Top	Hand			W49	126517-2	230.76	191.4	Top	Hand
W49	126517-3	228.8	199.8	Top	Hand			W49	126517-3	228.8	199.8	Top	Hand
W50	102233-1	238.35	162.5	Top	Hand			W50	102233-1	238.35	162.5	Top	Hand
W50	102233-2	238.35	162.5	Top	Hand			W50	102233-2	238.35	162.5	Top	Hand
W51	102608-1	389.32	117.6	Top	Hand			W51	102608-1	389.32	117.6	Top	Hand
W51	102608-2	389.32	117.6	Top	Hand			W51	102608-2	389.32	117.6	Top	Hand
W52	102233-1	228.8	177.6	Top	Hand			W52	102233-1	228.8	177.6	Top	Hand
W52	102233-2	228.8	177.6	Top	Hand			W52	102233-2	228.8	177.6	Top	Hand
W53	126765-1	360.48	201.4	Top	Hand			W53	126765-1	360.48	201.4	Top	Hand
W53	126765-2	360.48	201.4	Top	Hand			W53	126765-2	360.48	201.4	Top	Hand
W54	126765-1	220.76	263.6	Top	Hand			W54	126765-1	220.76	263.6	Top	Hand
W54	126765-2	218.8	263.6	Top	Hand			W54	126765-2	218.8	263.6	Top	Hand
W55	126765-1	360.48	219.6	Top	Hand			W55	126765-1	360.48	219.6	Top	Hand
W55	126765-2	358.5	207.8	Top	Hand			W55	126765-2	358.5	207.8	Top	Hand
W56	126765-1	220.76	233.8	Top	Hand			W56	126765-1	220.76	233.8	Top	Hand
W56	126765-2	218.8	233.8	Top	Hand			W56	126765-2	218.8	233.8	Top	Hand
W57	102719-1	378.28	272.1	Top	Hand			W57	102719-1	378.28	272.1	Top	Hand
W57	102719-2	378.28	272.1	Top	Hand			W57	102719-2	378.28	272.1	Top	Hand
W58	102608-1	341.00	226.1	Top	Hand			W58	102608-1	341.00	226.1	Top	Hand
W58	102608-2	341.00	226.1	Top	Hand			W58	102608-2	341.00	226.1	Top	Hand
W59	102118-1	457.48	219.9	Top	Hand			W59	102118-1	457.48	219.9	Top	Hand
W59	102719-1	435.68	291.6	Top	Hand			W59	102719-1	435.68	291.6	Top	Hand
W59	102719-2	435.68	291.6	Top	Hand			W59	102719-2	435.68	291.6	Top	Hand
W61	102118-1	454.8	212.1	Top	Hand			W61	102118-1	454.8	212.1	Top	Hand
W61	102719-1	481.68	219.9	Top	Hand			W61	102719-1	481.68	219.9	Top	Hand
W61	102719-2	238.56	272.1	Top	Hand			W61	102719-2	238.56	272.1	Top	Hand
W60	102719-1	267.7	279.6	Top	Hand			W60	102719-1	267.7	279.6	Top	Hand
W60	102719-2	267.7	279.6	Top	Hand			W60	102719-2	267.7	279.6	Top	Hand
W69	102608-1	321.04	301.4	Top	Hand			W69	102608-1	321.04	301.4	Top	Hand
W69	102719-1	312.2	272.1	Top	Hand			W69	102719-1	312.2	272.1	Top	Hand
W67	102608-1	363.88	250.7	Top	Hand			W67	102608-1	363.88	250.7	Top	Hand
W67	102718-1	341.32	219.6	Top	Hand			W67	102718-1	341.32	219.6	Top	Hand
W67	102718-2	341.32	219.6	Top	Hand			W67	102718-2	341.32	219.6	Top	Hand
W73	102718-1	419.28	198.4	Top	Hand			W73	102718-1	419.28	198.4	Top	Hand
W73	102718-2	419.28	198.4	Top	Hand			W73	102718-2	419.28	198.4	Top	Hand
W74	102719-1	464.44	227.3	Top	Hand			W74	102719-1	464.44	227.3	Top	Hand
W74	102719-2	464.44	227.3	Top	Hand			W74	102719-2	464.44	227.3	Top	Hand
W75	102718-1	454.8	198.4	Top	Hand			W75	102718-1	454.8	198.4	Top	Hand
W75	102718-2	454.8	198.4	Top	Hand			W75	102718-2	454.8	198.4	Top	Hand
W77	102719-1	238.56	198.2	Top	Hand			W77	102719-1	238.56	198.2	Top	Hand
W77	102719-2	238.56	198.2	Top	Hand			W77	102719-2	238.56	198.2	Top	Hand
W76	102718-1	295.76	219.9	Top	Hand			W76	102718-1	295.76	219.9	Top	Hand
W76	102608-1	480.72	229.1	Top	Hand			W76	102608-1	480.72	229.1	Top	Hand
W80	102719-1	324.94	227.3	Top	Hand			W80	102719-1	324.94	227.3	Top	Hand
W81	102719-1	312.2	198.2	Top	Hand			W81	102719-1	312.2	198.2	Top	Hand
W84	TBD 102719-1	388.48	301.4	Top	Hand			W84	TBD 102719-1	388.48	301.4	Top	Hand
W84	TBD 102719-2	388.48	301.4	Top	Hand			W84	TBD 102719-2	388.48	301.4	Top	Hand
W85	TBD 102719-1	427.60	301.4	Top	Hand			W85	TBD 102719-1	427.60	301.4	Top	Hand
W85	TBD 102719-2	427.60	301.4	Top	Hand			W85	TBD 102719-2	427.60	301.4	Top	Hand
W86	TBD 102719-1	415.08	271.1	Top	Hand			W86	TBD 102719-1	415.08	271.1	Top	Hand
W86	TBD 102719-2	415.08	271.1	Top	Hand			W86	TBD 102719-2	415.08	271.1	Top	Hand
W88	TBD 102718-1	444.24	229.9	Top	Hand			W88	TBD 102718-1	444.24	229.9	Top	Hand
W88	TBD 102718-2	444.24	229.9	Top	Hand			W88	TBD 102718-2	444.24	229.9	Top	Hand
W89	TBD 102719-1	407.60	227.3	Top	Hand			W89	TBD 102719-1	407.60	227.3	Top	Hand
W89	TBD 102719-2	407.60	227.3	Top	Hand			W89	TBD 102719-2	407.60	227.3	Top	Hand
W88	TBD 102719-1	415.08	198.2	Top	Hand			W88	TBD 102719-1	415.08	198.2	Top	Hand
W88	TBD 102719-2	415.08	198.2	Top	Hand			W88	TBD 102719-2	415.08	198.2	Top	Hand
W90	102608-1	264.88	274.7	Top	Hand			W90	102608-1	264.88	274.7	Top	Hand
W90	TBD 102718-1	444.24	209.6	Top	Hand			W90	TBD 102718-1	444.24	209.6	Top	Hand
W90	TBD 102718-2	444.24	209.6	Top	Hand			W90	TBD 102718-2	444.24	209.6	Top	Hand
W92	TBD 102719-1	298.16	301.4	Top	Hand			W92	TBD 102719-1	298.16	301.4	Top	Hand
W92	TBD 102719-2	298.16	301.4	Top	Hand			W92	TBD 102719-2	298.16	301.4	Top	Hand
W95	TBD 102718-1	464.04	219.9	Top	Hand			W95	TBD 102718-1	464.04	219.9	Top	Hand
W95	TBD 102718-2	464.04	219.9	Top	Hand			W95	TBD 102718-2	464.04	219.9	Top	Hand
W96	TBD 102719-1	298.16	227.3	Top	Hand			W96	TBD 102719-1	298.16	227.3	Top	Hand
W96	TBD 102719-2	298.16	227.3	Top	Hand			W96	TBD 102719-2	298.16	227.3	Top	Hand
W97	TBD 102719-1	275.36	198.2	Top	Hand			W97	TBD 102719-1	275.36	198.2	Top	Hand
W97	TBD 102719-2	275.36	198.2	Top	Hand			W97	TBD 102719-2	275.36	198.2	Top	Hand
18	TBD 102718-1	493.04	209.6	Top	Hand	X 2.00		18	TBD 102718-1	493.04	209.6	Top	Hand
18B	102479-1	232.28	387.1	Top	Hand			18B	102479-1	232.28	387.1	Top	Hand
19	102479-1	280.04	384.8	Top	Hand			19	102479-1	280.04	384.8	Top	Hand
19B	102479-1	260.28	383.1	Top	Hand			19B	102479-1	260.28	383.1	Top	Hand
14	102579-1	347.36	377.1	Top	Hand			14	102579-1	347.36	377.1	Top	Hand
14	102579-2	347.36	377.1	Top	Hand			14	102579-2	347.36	377.1	Top	Hand
15	101969-1	470.72	386.1	Top	Hand			15	101969-1	470.72	386.1	Top	Hand
15B	102608-1	479.28	257.8	Top	Hand			15B	102608-1	479.28	257.8	Top	Hand
16BR	TBD 137761-1	479.28	257.8	Top	Hand			16BR	TBD 137761-1	479.28	257.8	Top	Hand
16B	102579-2	196.96	374.1	Top	Hand			16B	102579-2	196.96	374.1	Top	Hand
16	102579-1	269.24	367.1	Top	Hand			16	102579-1	269.24	367.1	Top	Hand
16BR	TBD 137761-1	479.28	169.4	Top	Hand			16BR	TBD 137761-1	479.28	169.4	Top	Hand
17	101579-1	421.64	330.6	Top	Hand	CPN		17	TBD 101579-1	421.64	330.6	Top	Hand
R1	101698-1	198.36	261.7	Top	Hand	X -1.17	Y 6.1	R1	101698-1	198.52	261.77	Top	Hand
R1B	125317-1	294.84	361.3	Top	Hand			R1B	125317-1	294.84	361.3	Top	Hand
R2	102479-1	294.84	361.3	Top	Hand			R2	102479-1	294.84	361.3	Top	Hand
R2B	102479-1	583.96	359.6	Top	Hand			R2B	102479-1	583.96	359.6	Top	Hand
101	137717-1	322.56	329.9	Top	SMD			101	137717-1	322.56	329.9	Top	SMD
102	102579-1	322.56	329.9	Top	SMD			102	102579-1	322.56	329.9	Top	SMD
300	137717-1	368.8	169.6	Top	SMD			300	137717-1	368.8	169.6	Top	SMD
301	102579-1	368.8	169.6	Top	SMD			301	102579-1	368.8	169.6	Top	SMD
303	102579-1	473.68	185.9	Top	SMD			303	102579-1	473.68	185.9	Top	SMD
P1	IC 6002-0	447.68	386.1	Top	SMD			P1	IC 6002-0	447.68	386.1	Top	SMD
P2	IC 6002-0	288.12	386.7	Top	SMD			P2	IC 6002-0	288.12	386.7	Top	SMD
P3	130840-1	418.48	381.7	Top	Hand	CPN		P3	TBD 130840-1	418.48	381.7	Top	Hand
P4	130840-1	418.48	381.7	Top	Hand	CPN		P4	TBD 130840-1	418.48	381.7	Top	Hand
P5	TBD 130904-1	436.88	341.6	Top	Hand			P5	TBD 130904-1	436.88	341.6	Top	Hand
P6	TBD 130335-2	367.24	341.6	Top	Hand			P6	TBD 130335-2	367.24	341.6	Top	Hand
1	102479-1	331.72	383.5	Top	SMD			P2BR	137768-1	118.48	149.4	Top	SMD
2	102479-1	331.72	383.5	Top	SMD			2	102479-1	331.72	383.5	Top	SMD
2100	IC 7448-1	440.06	361.1	Bottom	SMD			2100	IC 7448-1	440.06	361.1	Bottom	SMD
2101	IC 7448-1	404.3	356.2	Bottom	SMD			2101	IC 7448-1	404.3	356.2	Bottom	SMD
2102	102579-1	404.3	356.2	Bottom	SMD			2102	102579-1	404.3	356.2	Bottom	SMD
2103	102469-1	426.48	374.7	Bottom	SMD			2103	102469-1	426.48	374.7	Bottom	SMD
2104	IC 9052-5	332.03	282.9	Top	Radial			2104	IC 9052-5	333.63	282.99	Top	Radial
2107	102192-1	458.14	329.5	Bottom	SMD	X -0.12		2107	102192-1	458.02	329.58	Bottom	SMD
2108	101481-1	464.68	330.6	Bottom	SMD			2108	101481-1	464.62	330.63	Bottom	SMD
2109	102192-1	464.68	330.6	Bottom	SMD	X 0.62		2109	102192-1	464.62	330.63	Bottom	SMD
2110	102192-1	475.28	313.9	Bottom	SMD			2110	102192-1	475.22	313.93	Bottom	SMD
2111	IC 9021-4	492.48	322.9	Bottom	SMD			2111	IC 9021-4	492.42	322.93	Bottom	SMD
2112	102609-1	479.28	304.6	Top	Hand			2112	102609-1	479.28	304.6	Top	Hand
2114	102668-1	375.08	297.9	Top	Hand			2114	102668-1	375.08	297.9	Top	Hand
2116	102668-1	392.88	276.0	Top	Hand			2116	102668-1	392.88	276.0	Top	Hand
2118	TBD 102668-1	412.48	297.9	Top	Hand			2118	TBD 102668-1	412.48	297.9	Top	Hand
2119	TBD 102668-1	412.48	276.0	Top	Hand			2119	TBD 102668-1	412.48	276.0	Top	Hand
2118	102668-1	466.08	297.9	Top	Hand			2118	102668-1	466.08	297.9	Top	Hand
2119	102668-1	466.47	276.0	Top	Hand			2119	102668-1	466.47	276.0	Top	Hand
2120	102192-1	342.36	313.9	Bottom	SMD			2120	102192-1	342.36	313.98	Bottom	SMD
2121	102668-1	336.56	322.9	Top	Hand			2121	102668-1	336.56	322.98	Top	Hand
2122	102668-1	336.56	301.0	Top	Hand			2122	102668-1	336.56	301.0	Top	Hand
2124	102668-1	241.16	276.0	Top	Hand			2124	102668-1	241.16	276.0	Top	Hand
2125	TBD 102668-1	273.56	297.9	Top	Hand			2125	TBD 102668-1	273.56	297.9	Top	Hand
2126	TBD 102668-1	289.32	276.0	Top	Hand			2126	TBD 102668-1	289.32	276.0	Top	Hand
2127	102668-1	241.36	297.9	Top	Hand			2127	102668-1	241.36	297.9	Top	Hand
2128	102668-1	289.72	297.9	Top	Hand			2128	102668-1	289.72	297.9	Top	Hand
2129	IC 7448-1	299.72	356.2	Bottom	SMD			2129	IC 7448-1	299.72	356.2	Bottom	SMD
2130	102180-1	241.36	315.5	Bottom	SMD			2130	102180-1	241.36	315.5	Bottom	SMD
2B	102479-1	338.8	364.8	Top	SMD			2B	102479-1	338.8	364.8	Top	SMD
2200	IC 7448-1	386.08	364.4	Bottom	SMD			2200	IC 7448-1	386.08	364.4	Bottom	SMD
2201	IC 7448-1	394.32	356.2	Bottom	SMD			2201	IC 7448-1	394.32	356.2	Bottom	SMD
2202	IC 9021-3	414.12	379.7	Bottom	SMD			2202	IC 9021-3	414.12	379.7	Bottom	SMD
2203	IC 9052-5	332.03	282.9	Top	Radial			2203	IC 9052-5	333.63	282.99	Top	Radial
2204	IC 9052-5	333.63	219.0	Top	Radial			2204	IC 9052-5	333.63	219.07	Top	Radial
2207	102192-1	384.88	328.2	Bottom	SMD			2207	102192-1	384.81	328.18	Bottom	SMD
2208	101481-1	391.68	327.6	Bottom	SMD			2208	101481-1	391.62	327.63	Bottom	SMD
2209	IC 9021-4	391.48	341.6	Bottom	SMD			2209	IC 9021-4	391.42	341.63	Bottom	SMD
2210	IC 9021-4	380.76	181.6	Bottom	SMD			2210	IC 9021-4	380.76	181.6	Bottom	SMD
2211	IC 9021-4	380.76	181.6	Bottom	SMD			2211	IC 9021-4	380.76	181.6	Bottom	SMD
2212	102609-1	388.32	117.6	Top	Hand			2212	102609-1	388.32	117.6	Top	Hand
2214	102668-1	376.08	214.9	Top	Hand			2214	102668-1	376.08	214.9	Top	Hand
2215	102668-1	392.88	202.1	Top	Hand			2215	102668-1	392.88	202.1	Top	Hand
2216	TBD 102668-1	412.48	214.9	Top	Hand			2216	TBD 102668-1	412.48	214.9	Top	Hand
2217	TBD 102668-1	429.47	202.1	Top	Hand			2217	TBD 102668-1	429.47	202.1	Top	Hand
2218	102668-1	450.08	219.9	Top	Hand			2218	102668-1	450.08	219.9	Top	Hand
2219	102668-1	466.47	202.1	Top	Hand			2219	102668-1	466.47	202.1	Top	Hand
2220	102192-1	222.88	186.6	Bottom	SMD			2220	102192-1	222.88	186.69	Bottom	SMD
2221	102609-1	228.6	177.6	Top	Hand			2221	102609-1	228.6	177.6	Top	Hand
2223	102668-1	235.32	214.9	Top	Hand			2223	102668-1	235.32	214.9	Top	Hand
2224	102668-1	235.32	202.1	Top	Hand			2224	102668-1	235.32	202.1	Top	Hand
2225	TBD 102668-1	273.56	214.9	Top	Hand			2225	TBD 102668-1	273.56	214.9	Top	Hand
2226	TBD 102668-1	289.97	202.1	Top	Hand			2226	TBD 102668-1	289.97	202.1	Top	Hand
2227	102668-1	316.36	214.9	Top	Hand			2227	102668-1	316.36	214.9	Top	Hand
2228	102668-1	336.72	214.9	Top	Hand			2228	102668-1	336.72	214.9	Top	Hand
2229	102668-1	336.72	202.1	Top	Hand			2229	102668-1	336.72	202.1	Top	Hand
2230	102480-1	375.28	356.2	Bottom	SMD			2230	102480-1	375.28	356.2	Bottom	SMD
3B	102479-1	367.8	383.5	Top	SMD			3B	102479-1	367.8	383.5	Top	SMD
24	102318-1	499.72	374.4	Top	SMD			24	102318-1	499.72	374.4	Top	SMD
25	101919-1	490.88	371.4	Top	SMD	X 2.04		25	101919-1	490.82	371.48	Top	SMD
26	102609-1	479.28	304.6	Top	Hand	CPN		26	102609-1	479.28	304.6	Top	Hand
210	101960-1	375.28	356.2	Bottom	SMD			210	101480-1	375.28	356.2	Bottom	SMD
3B	102479-1	367.8	383.5	Top	SMD			3B	102479-1	367.8	383.5	Top	SMD
24	102318-1	499.72	374.4	Top	SMD			24	102318-1	499.72	374.4	Top	SMD
25	101919-1	490.88	371.4	Top	SMD	X 2.04		25	101919-1	490.82	371.48	Top	SMD
26	102609-1	479.28	304.6	Top	Hand	CPN		26	102609-1	479.28	304.6	Top	Hand
210	101960-1	375.28	356.2	Bottom	SMD			210	101480-1	375.28	356.2	Bottom	SMD
28	102609-1	412.12	117.6	Top	Hand			28	102609-1	412.12	117.6	Top	Hand
R100	A11368-20011	441.96	365.0	Bottom	SMD			R100	A11368-20011	441.96	364.99	Bottom	SMD
R102	A11368-20231	468.92	364.6	Bottom	SMD	X 1.25		R102	A11368-20231	469.00	364.49	Bottom	SMD
R103	A11368-20551	414.48	364.6	Bottom	SMD	X 0.51		R103	A11368-20551	414.52	364.49	Bottom	SMD
R105	A11368-10141	506.12	363.7	Bottom	SMD			R105	A11368-10141	506.08	363.68	Bottom	SMD
R106	A11368-10311	441.32	364.2	Bottom	SMD			R106	A11368-10311	441.36	364.19	Bottom	SMD
R107	A11368-10321	433.07	387.2	Bottom	SMD			R107	A11368-10321	433.07	387.18	Bottom	SMD
R108	A11368-10331	435.68	387.2	Bottom	SMD			R108	A11368-10331	435.68	387.18	Bottom	SMD
R109	A11368-10122	446.72	364.2	Bottom	SMD			R109	A11368-10122	446.72	364.19	Bottom	SMD
R110	A11368-10211	423.28	364.2	Bottom	SMD			R110	A11368-10211	423.28	364.19	Bottom	SMD
R110	A11368-10311	423.28	388.2	Bottom	SMD			R110	A11368-10311	423.28	388.18	Bottom	SMD
R111	A11368-10021	430.53	372.3	Bottom	SMD			R111	A11368-10021	430.53	372.28	Bottom	SMD
R112	A11368-10022	407.2	388.2	Bottom	SMD			R112	A11368-10022	407.2	388.18	Bottom	SMD
R113	A11368-42211	418.1	388.2	Bottom	SMD			R113	A11368-42211	418.1	388.18	Bottom	SMD
R114	A11368-42221	418.1	372.3	Bottom	SMD			R114	A11368-42221	418.1	372.28	Bottom	SMD
R115	A11368-10111	424.08	388.2	Bottom	SMD			R115	A11368-10111	424.08	388.18	Bottom	SMD
R116	A11368-20001	444.52	372.3	Bottom	SMD			R116	A11368-20001	444.52	372.28	Bottom	SMD
R117	A11371-1041	441.96	372.3	Bottom	SMD			R117	A11371-1041	441.96	372.28	Bottom	SMD
R118	A11368-68111	454.02	389.9	Top	SMD			R118	A11368-68111	454.02	389.89	Top	SMD
R119	A11371-1031	438.72	372.3	Bottom	SMD			R119	A11371-1031	438.72	372.28	Bottom	SMD
R140	A11368-90041	447.68	364.7	Bottom	SMD			R140	A11368-90041	447.68	364.69	Bottom	SMD
R141	A11368-90051	447.68	372.3	Bottom	SMD			R141	A11368-90051	447.68	372.28	Bottom	SMD
R122	A11368-10021	462.28	364.2	Bottom	SMD	X 0.13		R122	A11368-10021	462.28	364.19	Bottom	SMD
R123	A11368-10031	454.68	364.2	Bottom	SMD	X -0.68		R123	A11368-10031	454.68	364.19	Bottom	SMD
R124	A11368-10041	457.28	364.2	Bottom	SMD	X -0.28		R124	A11368-10041	457.28	364.19	Bottom	SMD
R125	A11368-10031	459.28	364.2	Bottom	SMD			R125	A11368-10031	459.28	364.19	Bottom	SMD
R126	A11368-10041	462.28	364.2	Bottom	SMD			R126	A11368-10041	462.28	364.19	Bottom	SMD
R127	A11371-9801	454.52	364.2	Bottom	SMD	X 0.13		R127	A11371-9801	454.68	364.19	Bottom	SMD
R128	A11371-9814	457.12	181.2	Bottom	SMD			R128	A11371-9814	457.28	181.18	Bottom	SMD
R129	A11371-9811	454.92	181.2	Bottom	SMD			R129	A11371-9811	454.92	181.18	Bottom	SMD
R130	A11368-10023	431.17	388.2	Bottom	SMD			R130	A11368-10023	431.17	388.18	Bottom	SMD
R131	A11368-10024	431.17	372.3	Bottom	SMD			R131	A11368-10024	431.17	372.28	Bottom	SMD
R132	A11371-1021	439.36	387.2	Bottom	SMD			R132	A11371-1021	439.36	387.18	Bottom	SMD
R133	A11371-1041	439.36	372.3	Bottom	SMD			R133	A11371-1041	439.36	372.28	Bottom	SMD
R134	C10613-5	449.96	339.0	Top	Radial	X -0.12		R134	C10613-5	449.96	339.08	Top	Radial
R135	A11368-10023	437.52	324.6	Bottom	SMD			R135	A11368-10023	437.52	324.68	Bottom	SMD
R136	A11371-9021	445.44	324.6	Bottom	SMD			R136	A11371-9021	445.44	324.68	Bottom	SMD
R137	A11368-68031	459.48	339.2	Top	SMD			R137	A11368-68031	459.36	339.08	Top	SMD
R138	A11368-10023	437.52	324.6	Bottom	SMD			R138	A11368-10023	437.52	324.68	Bottom	SMD
R139	A11368-10203	477.52	327.1	Bottom	SMD	X 0.13		R139	A11368-10203	477.36	327.08	Bottom	SMD
R14	A11371-9521	464.84	379.2	Bottom	SMD			R14	A11371-9521	464.84	379.28	Bottom	SMD
R140	TBD IPC 1210	483.88	369.9	Bottom	SMD			R140	TBD IPC 1210	483.88	369.89	Bottom	SMD
R141	A11371-4211	485.77	377.1	Bottom	SMD			R141	A11371-4211	485.77	377.08	Bottom	SMD
R142	102479-1	331.72	383.5	Top	SMD			R142	102479-1	331.72	383.5	Top	SMD
R143	TBD IPC 1210	481.88	348.2	Bottom	SMD			R143	TBD IPC 1210	481.88	348.28	Bottom	SMD
R144	A11368-10021	427.68	349.3	Bottom	SMD			R144	A11368-10021	427.68	349.28	Bottom	SMD
R145	A11368-10033	477.52	341.1	Bottom	SMD			R145	A11368-10033	477.52	341.08	Bottom	SMD
R146	A11368-68061	330.2	292.7	Bottom	SMD			R146	A11368-68061	330.2	292.78	Bottom	SMD
R147	A11371-1011	441.64	372.3	Bottom	SMD			R147	A11371-1011	441.64	372.28	Bottom	SMD
R148	A11371-1011	441.64	387.2	Bottom	SMD			R148	A11371-1011	441.64	387.18	Bottom	SMD
R149	A11368-68051	454.96	372.3	Bottom	SMD	X -0.12		R149	A11368-68051	454.96	372.28	Bottom	SMD
R15	A11371-9521	345.44	379.2	Bottom	SMD			R15	A11371-9521	345.44	379.28	Bottom	SMD
R150	A11371-1061	468.52

8185	A11368-20001	406.49	382.2	Bottom	SMD			8185	A11368-10001	406.49	382.2	Bottom	SMD
8186	A11368-19001	406.9	382.2	Bottom	SMD			8186	A11368-18001	406.9	382.2	Bottom	SMD
8187	A11368-18001	407.31	382.2	Bottom	SMD	X 0.35		8187	A11368-17001	407.31	382.2	Bottom	SMD
8188	A11368-16001	407.83	382.2	Bottom	SMD			8188	A11368-15001	407.83	382.2	Bottom	SMD
918	A11371-1913	167.69	181.2	Bottom	SMD	CPN		918	A11371-1814	167.69	181.2	Bottom	SMD
8189	A11368-17501	480.08	284.2	Bottom	SMD			8189	A11368-17501	480.08	284.2	Bottom	SMD
8190	A11368-22601	477.52	292.1	Bottom	SMD			8190	A11368-22601	477.52	292.1	Bottom	SMD
8191	A11368-22501	477.52	292.1	Bottom	SMD			8191	A11368-22501	477.52	292.1	Bottom	SMD
8192	A11368-20001	407.31	364.6	Bottom	SMD	X 0.35		8192	A11368-10001	407.31	364.6	Bottom	SMD
8193	A11368-20001	461.57	318.7	Bottom	SMD	X 0.64		8193	A11368-10001	461.57	318.7	Bottom	SMD
8194	A11368-19001	394	320.2	Bottom	SMD			8194	A11368-10001	394	320.2	Bottom	SMD
8195	A11368-19001	452.13	364.6	Bottom	SMD	X -0.35		8195	A11368-10001	452.37	364.6	Bottom	SMD
8196	A11368-21111	450.85	285.4	Top	SMD			8196	A11368-21111	450.85	285.4	Top	SMD
8197	A11368-21001	476.68	319.2	Top	SMD	X -0.5		8197	A11368-21001	476.68	319.2	Top	SMD
8198	A11368-20001	461.57	364.6	Bottom	SMD			8198	A11368-10001	461.57	364.6	Bottom	SMD
917	A11368-19011	280.08	357	Bottom	SMD			917	A11368-19011	280.08	357	Bottom	SMD
920	A11368-17501	306.8	357.1	Bottom	SMD			920	A11368-17501	306.8	357.1	Bottom	SMD
8200	0000R6-4	614.88	319.2	Top	Mega			8200	0000R6-4	614.88	319.2	Top	Mega
8201	A11368-19011	383.54	386.3	Bottom	SMD			8201	A11368-19011	383.54	386.3	Bottom	SMD
8202	A11368-19001	383.54	364.6	Bottom	SMD			8202	A11368-19001	383.54	364.6	Bottom	SMD
8203	A11368-18001	414.74	364.6	Bottom	SMD			8203	A11368-18001	414.74	364.6	Bottom	SMD
8204	A11368-20001	410.22	319.2	Bottom	SMD			8204	A11368-10001	410.22	319.2	Bottom	SMD
8205	A11371-8814	164.68	181.2	Bottom	SMD			8205	A11371-8814	164.68	181.2	Bottom	SMD
8206	A11368-10011	381.63	356.2	Bottom	SMD			8206	A11368-10011	381.63	356.2	Bottom	SMD
8207	A11368-10001	381.63	319.2	Bottom	SMD	X 0.64		8207	A11368-10001	381.63	319.2	Bottom	SMD
8208	A11368-20022	387.64	356.2	Bottom	SMD			8208	A11368-10122	387.64	356.2	Bottom	SMD
921	A11368-20001	450.05	357.1	Bottom	SMD			921	A11368-10001	383.06	357.1	Bottom	SMD
8210	A11368-19011	208.43	352.9	Bottom	SMD			8210	A11368-19011	208.21	352.9	Bottom	SMD
8211	A11368-24911	370.84	272.7	Bottom	SMD			8211	A11368-24911	370.84	272.7	Bottom	SMD
8212	A11368-20004	475.55	385.7	Bottom	SMD			8212	A11368-20004	475.55	385.7	Bottom	SMD
8214	A11368-32111	392.68	386.3	Bottom	SMD			8214	A11368-32111	392.68	386.3	Bottom	SMD
8215	A11368-32121	392.68	364.6	Bottom	SMD			8215	A11368-32121	392.68	364.6	Bottom	SMD
8216	A11368-68121	365.76	386.3	Bottom	SMD			8216	A11368-68121	365.76	386.3	Bottom	SMD
8218	A11368-2303	384.89	313.2	Bottom	SMD			8218	A11368-2303	384.89	313.2	Bottom	SMD
8217	A11371-1915	388.47	319.2	Bottom	SMD			8217	A11371-1915	388.47	319.2	Bottom	SMD
8219	A11368-68111	384.68	386.3	Top	SMD	X -0.13		8219	A11368-68111	384.51	386.3	Top	SMD
8220	A11368-2311	384.89	364.6	Bottom	SMD			8220	A11368-2311	384.89	364.6	Bottom	SMD
8224	A11368-60102	382.28	313.2	Bottom	SMD			8224	A11368-60102	382.28	313.2	Bottom	SMD
8225	A11368-80601	387.49	317.7	Bottom	SMD			8225	A11368-80601	387.49	317.7	Bottom	SMD
8221	A11368-10021	391.16	386.3	Top	SMD			8221	A11368-10021	391.16	386.3	Top	SMD
8222	A11368-15001	402.58	364.6	Bottom	SMD			8222	A11368-15001	402.58	364.6	Bottom	SMD
8223	A11368-10001	383.06	364.6	Bottom	SMD	X -0.13		8223	A11368-10001	383.06	364.6	Bottom	SMD
8224	A11368-10001	387.51	364.6	Bottom	SMD			8224	A11368-10001	387.51	364.6	Bottom	SMD
8225	A11368-10001	408.94	356.2	Bottom	SMD			8225	A11368-10001	408.94	356.2	Bottom	SMD
8226	A11368-49001	389.88	364.6	Bottom	SMD			8226	A11368-49001	389.88	364.6	Bottom	SMD
5227	A11371-6821	426.12	364.6	Bottom	SMD			5227	A11371-6821	426.12	364.6	Bottom	SMD
5228	A11371-6914	389.7	319.2	Bottom	SMD			5228	A11371-6914	389.70	319.2	Bottom	SMD
8229	A11371-9111	391.97	319.2	Bottom	SMD			8229	A11371-9111	391.97	319.2	Bottom	SMD
8230	A11368-10001	383.06	364.6	Bottom	SMD	X 1.4		8230	A11368-10001	383.06	364.6	Bottom	SMD
8238	A11368-10023	372.11	361.9	Bottom	SMD			8238	A11368-10023	372.11	361.9	Bottom	SMD
8231	A11368-20035	372.11	285.7	Top	SMD			8231	A11368-20035	372.11	285.7	Top	SMD
8232	A11371-6222	405.45	224.1	Bottom	SMD			8232	A11371-6222	405.45	224.1	Bottom	SMD
8233	A11371-7511	330.3	229.1	Bottom	SMD			8233	A11371-7511	330.3	229.1	Bottom	SMD
8234	0000R6-5	614.88	364.6	Bottom	Mega			8234	0000R6-5	614.88	364.6	Bottom	Mega
8235	A11368-10003	391.16	181.2	Bottom	SMD			8235	A11368-10003	391.16	181.2	Bottom	SMD
8236	A11371-8301	382.21	319	Bottom	SMD			8236	A11371-8301	382.21	319	Bottom	SMD
8237	A11368-49002	394.75	147.9	Bottom	SMD			8237	A11368-49002	394.75	147.9	Bottom	SMD
8238	A11368-12103	403.23	319	Bottom	SMD			8238	A11368-12103	403.23	319	Bottom	SMD
8239	A11368-12101	403.23	364.6	Bottom	SMD			8239	A11368-12101	403.23	364.6	Bottom	SMD
8240	A11368-60011	386.42	364.6	Bottom	SMD	X -0.02 Y 1.75		8240	A11368-60011	386.42	364.6	Bottom	SMD
8241	TBD PC 1210	407.61	319	Bottom	SMD			8241	TBD PC 1210	407.61	319	Bottom	SMD
8241	A11371-8311	411.48	314.6	Bottom	SMD			8242	A11371-8311	411.48	314.6	Bottom	SMD
5242	5054T8-1	412.17	319	Bottom	SMD			5243	5054T8-1	412.17	319	Bottom	SMD
8243	TBD PC 1210	407.61	364.6	Bottom	SMD			8244	TBD PC 1210	407.61	364.6	Bottom	SMD
8244	A11368-1303	401.46	347.9	Bottom	SMD			8245	A11368-1303	401.46	347.9	Bottom	SMD
8245	A11368-19203	402.68	341.5	Bottom	SMD			8246	A11368-19203	402.68	341.5	Bottom	SMD
8246	A11368-49001	400.2	319.2	Bottom	SMD			8247	A11368-49001	400.2	319.2	Bottom	SMD
5247	A11371-3311	384.63	185.6	Bottom	SMD			5248	A11371-3311	384.63	185.6	Bottom	SMD
8248	A11371-1915	388.51	185.6	Bottom	SMD			8249	A11371-1915	388.51	185.6	Bottom	SMD
8249	A11368-60102	426.12	273.3	Bottom	SMD	X -0.13		8250	A11368-60102	426.26	273.3	Bottom	SMD
8250	A11368-80601	431.48	277.8	Bottom	SMD	X 0.13 Y 0.38		8251	A11368-80601	431.48	277.8	Bottom	SMD
8250	A11371-6954	371.48	185.7	Bottom	SMD			8252	A11371-6954	371.48	185.7	Bottom	SMD
8251	A11368-20001	384.68	317.1	Bottom	SMD			8253	A11368-20001	384.68	317.1	Bottom	SMD
8252	A11371-1963	393.06	221.1	Bottom	SMD			8254	A11371-1963	393.06	221.1	Bottom	SMD
8253	A11371-1963	396.14	224.4	Bottom	SMD			8255	A11371-1963	396.14	224.4	Bottom	SMD
8254	TBD PC 1210	414.66	224.4	Bottom	SMD			8256	TBD PC 1210	414.66	224.4	Bottom	SMD
8255	TBD PC 1210	414.66	224.4	Bottom	SMD			8257	TBD PC 1210	414.66	224.4	Bottom	SMD
8256	A11371-1963	458.73	221.1	Bottom	SMD			8258	A11371-1963	458.73	224.1	Bottom	SMD
8257	A11371-1963	457.83	224.1	Bottom	SMD			8257	A11371-1963	457.83	224.4	Bottom	SMD
8258	A11368-10023	384.37	147.9	Bottom	SMD			8258	A11368-10023	384.37	147.9	Bottom	SMD
8259	A11368-10001	384.37	319.2	Bottom	SMD			8259	A11368-10001	384.37	319.2	Bottom	SMD
8260	A11371-1955	374.21	141.1	Bottom	SMD			8260	A11371-1955	374.21	141.1	Bottom	SMD
8261	A11368-10023	389.88	181.5	Bottom	SMD			8261	A11368-10023	389.88	181.5	Bottom	SMD
8262	A11371-4705	434.12	185.6	Bottom	SMD			8262	A11371-4705	434.12	185.6	Bottom	SMD
5263	A11371-1814	338.4	185.6	Bottom	SMD			5263	A11371-1814	338.4	185.6	Bottom	SMD
8264	A11371-1963	213.66	187.2	Bottom	SMD			8265	A11371-1963	213.66	187.2	Bottom	SMD
8267	A11371-1963	253.37	224.1	Bottom	SMD			8267	A11371-1963	253.37	224.1	Bottom	SMD
8268	A11371-1963	253.37	224.1	Bottom	SMD			8268	A11371-1963	253.37	224.1	Bottom	SMD
8269	TBD PC 1210	478.78	224.1	Bottom	SMD			8269	TBD PC 1210	478.78	224.1	Bottom	SMD
8270	A11368-20021	414.66	356.2	Bottom	SMD			8277	A11368-20021	414.66	356.2	Bottom	SMD
8275	TBD PC 1210	299.73	224.1	Bottom	SMD			8270	TBD PC 1210	299.73	224.1	Bottom	SMD
8271	A11371-1963	297.18	224.1	Bottom	SMD			8272	A11371-1963	297.18	224.1	Bottom	SMD
8272	A11371-1963	297.18	224.1	Bottom	SMD			8273	A11371-1963	297.18	224.1	Bottom	SMD
8273	A11368-50001	398.78	181.5	Bottom	SMD			8274	A11368-50001	398.78	181.5	Bottom	SMD
8274	A11368-60102	246.38	185.5	Bottom	SMD	CPN X -0.25		8274	TBD PC 1206	246.63	185.5	Bottom	SMD
8275	A11368-51111	243.83	185.5	Bottom	SMD			8275	A11368-51111	243.83	185.5	Bottom	SMD
8276	A11368-10001	384.37	185.5	Bottom	SMD			8276	A11368-10001	384.37	185.5	Bottom	SMD
8277	A11368-20021	414.66	356.2	Bottom	SMD			8277	A11368-20021	414.66	356.2	Bottom	SMD
8278	A11368-60021	406.08	185.5	Bottom	SMD	Removed							
8279	A11368-10031	231.78	319	Bottom	SMD			8279	A11368-10031	231.78	319	Bottom	SMD
8280	A11371-7611	412.17	356.2	Bottom	SMD			8281	A11371-7611	412.17	356.2	Bottom	SMD
5282	A11368-39241	236.89	185.5	Bottom	SMD			5280	A11368-39241	236.89	185.5	Bottom	SMD
8281	A11371-6814	167.69	181.2	Bottom	SMD			8281	A11371-6814	167.69	181.2	Bottom	SMD
8282	A11368-10031	239.24	185.5	Bottom	SMD			8282	A11368-10031	239.24	185.5	Bottom	SMD
8283	A11368-10021	414.66	356.2	Bottom	SMD			8283	A11368-10021	414.66	356.2	Bottom	SMD
8285	A11368-10021	415.05	356.2	Bottom	SMD			8285	A11368-10021	415.05	356.2	Bottom	SMD
8287	A11368-15801	400.05	357.2	Bottom	SMD			8287	A11368-15801	400.05	357.2	Bottom	SMD
8288	A11368-15801	405.13	357.2	Bottom	SMD			8288	A11368-15801	405.13	357.2	Bottom	SMD
8289	A11368-10031	402.68	357.2	Bottom	SMD			8289	A11368-10031	402.68	357.2	Bottom	SMD
8290	A11368-10021	414.66	356.2	Bottom	SMD	X 1.4 Y 0.13		8290	A11368-10021	414.66	356.2	Bottom	SMD
5290	A11368-5701	479.43	217.4	Bottom	SMD			5290	A11368-5701	479.43	217.4	Bottom	SMD
8291	A11368-23001	476.88	217.6	Bottom	SMD			8291	A11368-23001	476.88	217.6	Bottom	SMD
8292	A11368-60102	358.23	356.2	Bottom	SMD			8292	A11368-60102	358.23	356.2	Bottom	SMD
5293	A11368-10021	407.41	356.2	Bottom	SMD			5293	A11368-10021	407.41	356.2	Bottom	SMD
8294	A11368-10021	407.41	356.2	Bottom	SMD			8294	A11368-10021	407.41	356.2	Bottom	SMD
8296	A11368-10021	392.43	356.2	Bottom	SMD			8296	A11368-10021	392.43	356.2	Bottom	SMD
5297	A11368-51111	389.5	185.5	Top	SMD			5297	A11368-51111	389.5	185.5	Top	SMD
8298	A11368-60021	406.08	185.5	Top	SMD			8298	A11368-60021	406.08	185.5	Top	SMD
8299	A11368-69901	391.08	232.9	Bottom	SMD	X -1.52		8299	A11368-69901	391.08	316.1	Bottom	SMD
8300	A11368-10011	402.6	371.1	Bottom	SMD	X 1.4 Y 0.13		8300	A11368-10011	402.6	371.1	Bottom	SMD
8301	A11371-1963	224.27	285.7	Bottom	SMD			8301	A11371-1963	224.27	285.7	Bottom	SMD
8302	A11368-51111	389.88	320.2	Bottom	SMD			8302	A11368-51111	389.88	320.2	Bottom	SMD
8302	A11371-1963	402.68	285.7	Bottom	SMD			8302	A11371-1963	402.68	285.7	Bottom	SMD
8303	TBD PC 1210	408.94	285.7	Bottom	SMD			8303	TBD PC 1210	408.94	285.7	Bottom	SMD
8304	TBD PC 1210	414.66	276.7	Bottom	SMD			8304	TBD PC 1210	414.66	276.7	Bottom	SMD
8305	A11371-1963	445.77	285.7	Bottom	SMD			8305	A11371-1963	445.77	285.7	Bottom	SMD
8306	A11368-10021	392.43	356.2	Bottom	SMD			8306	A11368-10021	392.43	356.2	Bottom	SMD
8307	A11371-1963	250.14	276.7	Bottom	SMD			8307	A11371-1963	250.14	276.7	Bottom	SMD
8308	A11371-1963	258.63	276.7	Bottom	SMD			8308	A11371-1963	258.63	276.7	Bottom	SMD
8309	TBD PC 1210	263.27	285.7	Bottom	SMD			8309	TBD PC 1210	263.27	285.7	Bottom	SMD
5311	A11368-10021	386.14	356.2	Bottom	SMD	X 1.52 Y 0.13		5311	A11368-10021	383.61	317.2	Bottom	SMD
8310	A11371-1963	224.27	276.7	Bottom	SMD			8310	A11371-1963	224.27	276.7	Bottom	SMD
8311	A11371-1963	220.04	296.2	Bottom	SMD			8311	A11371-1963	220.04	296.2	Bottom	SMD
8312	A11371-1963	222.58	276.7	Bottom	SMD			8312	A11371-1963	222.58	276.7	Bottom	SMD
8313	A11368-10021	402.68	320.2	Bottom	SMD			8313	A11368-10021	402.68	320.2	Bottom	SMD
8314	A11371-1941	304.8	320.2	Bottom	SMD			8314	A11371-1941	304.8	320.2	Bottom	SMD
8315	A11368-51111	389.88	320.2	Bottom	SMD			8315	A11368-51111	389.88	320.2	Bottom	SMD
8316	A11368-10101	434.1	285.7	Bottom	SMD			8316	A11368-10101	434.1	285.7	Bottom	SMD
8317	A11368-10021	392.43	356.2	Bottom	SMD			8317	A11368-10021	392.43	356.2	Bottom	SMD
8318	A11368-10221	383.29	277.8	Top	SMD	X 0.25		8318	A11368-10221	383.29	277.8	Top	SMD
8319	TBD PC 0805	450.23	285.0	Bottom	SMD			8319	TBD PC 0805	450.23	285.0	Bottom	SMD
8320	A11371-1963	408.94	285.7	Bottom	SMD			8320	A11371-1963	408.94	285.7	Bottom	SMD
8321	TBD PC 1210	407.08	269.6	Top	SMD	X 1.4		8321	TBD PC 1210	406.36	304.1	Top	SMD
8322	A11368-10101	407.08	269.6	Top	SMD			8322	A11368-10101	406.36	304.1	Top	SMD
8322	A11368-10123	401.24	313.6	Top	SMD	X -0.13		8323	A11368-10123	401.24	313.6	Top	SMD
8323	A11371-1963	370.84	304.1	Bottom	SMD			8324	A11371-1963	370.84	304.1	Bottom	SMD
8324	A11371-1963	366.36	285.7	Bottom	SMD			8325	A11371-1963	366.36	285.7	Bottom	SMD
8325	A11371-1963	370.87	285.7	Bottom	SMD			8326	A11371-1963	370.87	285.7	Bottom	SMD
8326	A11371-1963	382.96	304.1	Bottom	SMD			8327	A11371-1963	382.96	304.1	Bottom	SMD
8327	A11371-1963	388.14	276.7	Bottom	SMD			8328	A11371-1963	388.14	276.7	Bottom	SMD
8328	A11371-1963	388.14	285.7	Bottom	SMD			8329	A11371-1963	388.14	285.7	Bottom	SMD
8329	A11371-6021	417.7	273.2	Bottom	SMD			8330	A11371-6021	417.7	273.2	Bottom	SMD
8330	A11371-1963	452.58	276.7	Bottom	SMD			8330	A11371-1963	452.58	276.7	Bottom	SMD
8331	A11371-1963	388.61	285.7	Bottom	SMD			8331	A11371-1963	388.61	285.7	Bottom	SMD
8332	A11371-1963	384.12	285.7	Bottom	SMD			8332	A11371-1963	384.12	285.7	Bottom	SMD
8333	A11368-10021	392.43	356.2	Bottom	SMD			8333	A11368-10021	392.43	356.2	Bottom	SMD
8334	A11371-1963	384.12	276.7	Bottom	SMD			8334	A11371-1963	384.12	276.7	Bottom	SMD
8335	TBD PC 1210	408.94	304.1	Bottom	SMD			8335	TBD PC 1210	408.94	304.1	Bottom	SMD
8336	TBD PC 1210	402	304.1	Bottom	SMD			8336	TBD PC 1210	402	304.1	Bottom	SMD
8337	TBD PC 1210	408.94	285.7	Bottom	SMD			8337	TBD PC 1210	408.94	285.7	Bottom	SMD
8338	TBD PC 1210	429.42	285.7	Bottom	SMD			8338	TBD PC 1210	429.42	285.7	Bottom	SMD
8339	TBD PC 1210	404.36	304.1	Bottom	SMD			8339	TBD PC 1210	404.3	304.1	Bottom	SMD
8340	TBD PC 1210	400.08	304.1	Bottom	SMD			8340	TBD PC 1210	400.08	304.1	Bottom	SMD
8341	TBD PC 1210	414.98	285.7	Bottom	SMD			8341	TBD PC 1210	415.98	285.7	Bottom	SMD
8342	TBD PC 1210	429.42	285.7	Bottom	SMD			8342	TBD PC 1210	429.42	285.7	Bottom	SMD
8343	TBD PC 1210	429.42	285.7	Bottom	SMD			8343	TBD PC 1210	429.42	285.7	Bottom	SMD
8344	TBD PC 1210	425.45	285.7	Bottom	SMD			8344	TBD PC 1210	425.45	285.7	Bottom	SMD
8345	TBD PC 1210	422	285.7	Bottom	SMD			8345	TBD PC 1210	422	285.7	Bottom	SMD
8346	TBD PC 1210	423	276.7	Bottom	SMD			8346	TBD PC 1210	423	276.7	Bottom	SMD
8347	A11371-1963	445.77	304.1	Bottom	SMD			8347	A11371-1963	445.77	304.1	Bottom	SMD
8348	A11371-1963	414.42	304.1	Bottom	SMD			8348	A11371-1963	414.42	304.1	Bottom	SMD
8349	A11371-1963	431.69	304.1	Bottom	SMD			8349	A11371-1963	431.69	304.1	Bottom	SMD
8350	A11371-1963	432.18	285.7	Bottom	SMD			8350	A11371-1963	432.18	285.7	Bottom	SMD
8351	A11371-1963	436.49	285.7	Bottom	SMD			8351	A11371-1963	436.49	285.7	Bottom	SMD
8352	A11371-1963	432.44	296.5	Bottom	SMD			8352	A11371-1963	432.44	296.5	Bottom	SMD
8353	A11371-1963	436.49	304.1	Bottom	SMD			8353	A11371-1963	436.49	304.1	Bottom	SMD
8354	A11371-1963	452.49	285.7	Bottom	SMD			8354	A11371-1963	452.49	285.7	Bottom	SMD
8355	A11371-1963	452.49	304.1	Bottom	SMD			8355	A11371-1963	452.49	304.1	Bottom	SMD
8356	A11371-1963	448.94	285.7	Bottom	SMD			8356	A11371-1963	448.94	285.7	Bottom	SMD
8357	A11371-1963	453.39	276.7	Bottom	SMD			8357	A11371-1963	453.39	276.7	Bottom	SMD
8358	A11371-1963	448.94	276.7	Bottom	SMD			8358	A11371-1963	448.94	276.7	Bottom	SMD
8359	A11371-1963	220.96	285.7	Bottom	SMD			8359	A11371-1963	220.96	285.7	Bottom	SMD
8360	A11371-1963	225.42	285.7	Bottom	SMD			8360	A11371-1963	225.42	285.7	Bottom	SMD
8361	A11371-1963	225.42	304.1	Bottom	SMD			8361	A11371-1963	225.42	304.1	Bottom	SMD
8362	A11371-1963	220.96	304.1	Bottom	SMD			8362	A11371-1963	220.96	304.1	Bottom	SMD
8363	A11371-1963	225.42	311.1	Bottom	SMD			8363	A11371-1963	225.42	311.1	Bottom	SMD
8364	A11371-1963	220.96	311.1	Bottom	SMD			8364	A11371-1963	220.96	311.1	Bottom	SMD
8365	A11371-1963	245.74	285.7	Bottom	SMD			8365	A11371-1963	245.74	285.7	Bottom	SMD
8366	A11371-1963	240.03	285.7	Bottom	SMD			8366	A11371-1963	240.03	285.7	Bottom	SMD
8367	A11371-1963	245.74	304.1	Bottom	SMD			8367	A11371-1963	245.74	304.1	Bottom	SMD
8368	A11371-1963	240.03	304.1	Bottom	SMD			8368	A11371-1963	240.03	304.1	Bottom	SMD
8369	A11371-1963	254.63	304.1	Bottom	SMD			8369	A11371-1963	254.63	304.1	Bottom	SMD
8370	A11371-1963	252.88	285.7	Bottom	SMD			8370	A11371-1963	252.88	285.7	Bottom	SMD
8371	A11371-1963	252.88	304.1	Bottom	SMD			8371	A11371-1963	252.88	304.1	Bottom	SMD
8372	A11371-1963	245.74	285.7	Bottom	SMD			8372	A11371-1963	245.74	285.7	Bottom	SMD
8373	A11371-1963	245.74	304.1	Bottom	SMD			8373	A11371-1963	245.74	304.1	Bottom	SMD
8374	A11371-1963	244.21	285.7	Bottom	SMD			8374	A11371-1963	244.21	285.7	Bottom	SMD
8375	A11371-1963	244.21	276.7	Bottom	SMD			8375	A11371-1963	244.21	276.7	Bottom	SMD
8376	A11371-1963	248.92	276.7	Bottom	SMD			8376	A11371-1963	248.92	276.7	Bottom	SMD
8377	TBD PC 1210	273.34	304.1	Bottom	SMD			8377	TBD PC 1210	273.34	304.1	Bottom	SMD
8378	TBD PC 1210	273.34	285.7	Bottom	SMD			8378	TBD PC 1210	273.34	304.1	Bottom	SMD
8379	TBD PC 1210	263.22	285.7	Bottom	SMD			8379	TBD PC 1210	263.22	285.7	Bottom	SMD
8380	TBD PC 1210	264.8	304.1	Bottom	SMD			8380	TBD PC 1210	264.8	304.1	Bottom	SMD
8381	TBD PC 1210	264.8	285.6	Bottom	SMD			8381	TBD PC 1210	264.8	285.6	Bottom	SMD
8382	TBD PC 1210	263.22	276.7	Bottom	SMD			8382	TBD PC 1210	263.22	276.7	Bottom	SMD
8383	TBD PC 1210	299.17	285.7	Bottom	SMD			8383	TBD PC 1210	299.17	285.7	Bottom	SMD
8384	TBD PC 1210	299.17	285.7	Bottom	SMD			8384	TBD PC 1210	299.17	285.7	Bottom	SMD
8385	TBD PC 1210	299.17	304.1	Bottom	SMD			8385	TBD PC 1210	299.17	304.1	Bottom	SMD
8386	TBD PC 1210	281.19	285.7	Bottom	SMD			8386	TBD PC 1210	281.19	285.7	Bottom	SMD
8387	TBD PC 1210	281.19	276.7	Bottom	SMD			8387	TBD PC 1210	281.19	276.7	Bottom	SMD
8388	TBD PC 1210	281.75	276.7	Bottom	SMD			8388	TBD PC 1210	281.75	276.7	Bottom	SMD
8389	A11371-1963	205.07	285.7	Bottom	SMD			8389	A11371-1963	205.07	285.7	Bottom	SMD
8390	A11371-1963	205.07	304.1	Bottom	SMD			8390	A11371-1963	205.07	304.1	Bottom	SMD
8391	A11371-1963	301.44	304.1	Bottom	SMD			8391	A11371-1963	301.44	304.1	Bottom	SMD
8392	A11371-1963	297.18	304.1	Bottom	SMD			8392	A11371-1963	297.18	304.1	Bottom	SMD
8393	A11371-1963	297.18	296.5	Bottom	SMD			8393	A11371-1963	297.18	296.5	Bottom	SMD
8394	A11371-1963	301.44	296.5	Bottom	SMD			8394	A11371-1963	301.44	296.5	Bottom	SMD
8395	A11371-1963	319.14	285.7	Bottom	SMD			8395	A11371-1963	319.14	285.7	Bottom	SMD
8396	A11371-1963	222.58	285.7	Bottom	SMD			8396	A11371-1963	222.58	285

R187	A11371-1R63	398.14	212.06	Bottom	SMD			R187	A11371-1R63	398.14	212.06	Bottom	SMD
R188	A11371-1R63	402.69	212.06	Bottom	SMD			R188	A11371-1R63	402.69	212.06	Bottom	SMD
R189	A11371-1R63	407.24	212.06	Bottom	SMD			R189	A11371-1R63	407.24	212.06	Bottom	SMD
R190	A11371-1R63	384.14	212.06	Bottom	SMD			R190	A11371-1R63	384.14	212.06	Bottom	SMD
R191	A11371-1R63	388.19	204.6	Bottom	SMD			R191	A11371-1R63	388.19	204.6	Bottom	SMD
R192	A11371-1R63	388.63	204.6	Bottom	SMD			R192	A11371-1R63	388.63	204.6	Bottom	SMD
R193	TBD IPC 1210	418.48	221.7	Bottom	SMD			R193	TBD IPC 1210	418.48	221.7	Bottom	SMD
R194	TBD IPC 1210	422.93	221.7	Bottom	SMD			R194	TBD IPC 1210	422.93	221.7	Bottom	SMD
R195	TBD IPC 1210	406.94	221.7	Bottom	SMD			R195	TBD IPC 1210	406.94	221.7	Bottom	SMD
R196	TBD IPC 1210	404.5	221.7	Bottom	SMD			R196	TBD IPC 1210	404.5	221.7	Bottom	SMD
R197	TBD IPC 1210	404.5	221.1	Bottom	SMD			R197	TBD IPC 1210	404.5	221.1	Bottom	SMD
R198	TBD IPC 1210	406.94	221.1	Bottom	SMD			R198	TBD IPC 1210	406.94	221.1	Bottom	SMD
R199	TBD IPC 1210	435.48	212.06	Bottom	SMD			R199	TBD IPC 1210	435.48	212.06	Bottom	SMD
R200	TBD IPC 1210	439.93	212.06	Bottom	SMD			R200	TBD IPC 1210	439.93	212.06	Bottom	SMD
R201	TBD IPC 1210	423	212.06	Bottom	SMD			R201	TBD IPC 1210	423	212.06	Bottom	SMD
R202	TBD IPC 1210	423	212.06	Bottom	SMD			R202	TBD IPC 1210	423	212.06	Bottom	SMD
R203	TBD IPC 1210	402	204.6	Bottom	SMD			R203	TBD IPC 1210	402	204.6	Bottom	SMD
R204	TBD IPC 1210	406.45	204.6	Bottom	SMD			R204	TBD IPC 1210	406.45	204.6	Bottom	SMD
R205	A11371-1R63	455.3	221.7	Bottom	SMD			R205	A11371-1R63	455.3	221.7	Bottom	SMD
R206	A11371-1R63	459.8	221.7	Bottom	SMD			R206	A11371-1R63	459.8	221.7	Bottom	SMD
R207	A11371-1R63	445.71	221.1	Bottom	SMD			R207	A11371-1R63	445.71	221.1	Bottom	SMD
R208	A11371-1R63	441.16	221.1	Bottom	SMD			R208	A11371-1R63	441.16	221.1	Bottom	SMD
R209	A11371-1R63	441.16	221.1	Bottom	SMD			R209	A11371-1R63	441.16	221.1	Bottom	SMD
R210	A11371-1R63	445.71	221.1	Bottom	SMD			R210	A11371-1R63	445.71	221.1	Bottom	SMD
R211	A11371-1R63	459.8	212.06	Bottom	SMD			R211	A11371-1R63	459.8	212.06	Bottom	SMD
R212	A11371-1R63	455.35	212.06	Bottom	SMD			R212	A11371-1R63	455.35	212.06	Bottom	SMD
R213	A11371-1R63	441.16	212.06	Bottom	SMD			R213	A11371-1R63	441.16	212.06	Bottom	SMD
R214	A11371-1R63	445.71	212.06	Bottom	SMD			R214	A11371-1R63	445.71	212.06	Bottom	SMD
R215	A11371-1R63	468.94	204.6	Bottom	SMD			R215	A11371-1R63	468.94	204.6	Bottom	SMD
R216	A11371-1R63	473.49	204.6	Bottom	SMD			R216	A11371-1R63	473.49	204.6	Bottom	SMD
R217	A11371-1R63	244.47	204.6	Bottom	SMD			R217	A11371-1R63	244.47	204.6	Bottom	SMD
R218	A11371-1R63	249.02	204.6	Bottom	SMD			R218	A11371-1R63	249.02	204.6	Bottom	SMD
R219	TBD IPC 1210	269.58	221.7	Bottom	SMD			R219	TBD IPC 1210	269.58	221.7	Bottom	SMD
R220	TBD IPC 1210	275.76	221.7	Bottom	SMD			R220	TBD IPC 1210	275.76	221.7	Bottom	SMD
R221	TBD IPC 1210	269.24	221.7	Bottom	SMD			R221	TBD IPC 1210	269.24	221.7	Bottom	SMD
R222	TBD IPC 1210	264.8	221.7	Bottom	SMD			R222	TBD IPC 1210	264.8	221.7	Bottom	SMD
R223	TBD IPC 1210	264.8	221.1	Bottom	SMD			R223	TBD IPC 1210	264.8	221.1	Bottom	SMD
R224	TBD IPC 1210	269.24	221.1	Bottom	SMD			R224	TBD IPC 1210	269.24	221.1	Bottom	SMD
R225	TBD IPC 1210	275.76	221.1	Bottom	SMD			R225	TBD IPC 1210	275.76	221.1	Bottom	SMD
R226	TBD IPC 1210	299.24	221.1	Bottom	SMD			R226	TBD IPC 1210	299.24	221.1	Bottom	SMD
R227	TBD IPC 1210	299.79	212.06	Bottom	SMD			R227	TBD IPC 1210	299.79	212.06	Bottom	SMD
R228	TBD IPC 1210	295.79	212.06	Bottom	SMD			R228	TBD IPC 1210	295.79	212.06	Bottom	SMD
R229	TBD IPC 1210	291.24	212.06	Bottom	SMD			R229	TBD IPC 1210	291.24	212.06	Bottom	SMD
R230	TBD IPC 1210	291.38	204.6	Bottom	SMD			R230	TBD IPC 1210	291.38	204.6	Bottom	SMD
R231	TBD IPC 1210	295.93	204.6	Bottom	SMD			R231	TBD IPC 1210	295.93	204.6	Bottom	SMD
R232	A11371-1R63	119.4	221.7	Bottom	SMD			R232	A11371-1R63	119.4	221.7	Bottom	SMD
R233	A11371-1R63	297.48	221.7	Bottom	SMD			R233	A11371-1R63	297.48	221.7	Bottom	SMD
R234	A11371-1R63	306.07	221.7	Bottom	SMD			R234	A11371-1R63	306.07	221.7	Bottom	SMD
R235	A11371-1R63	301.62	221.7	Bottom	SMD			R235	A11371-1R63	301.62	221.7	Bottom	SMD
R236	A11371-1R63	301.62	221.1	Bottom	SMD			R236	A11371-1R63	301.62	221.1	Bottom	SMD
R237	A11371-1R63	306.07	221.1	Bottom	SMD			R237	A11371-1R63	306.07	221.1	Bottom	SMD
R238	A11371-1R63	313.44	212.06	Bottom	SMD			R238	A11371-1R63	313.44	212.06	Bottom	SMD
R239	A11371-1R63	309.23	212.06	Bottom	SMD			R239	A11371-1R63	309.23	212.06	Bottom	SMD
R240	A11371-1R63	322.58	212.06	Bottom	SMD			R240	A11371-1R63	322.58	212.06	Bottom	SMD
R241	A11371-1R63	322.58	204.6	Bottom	SMD			R241	A11371-1R63	322.58	204.6	Bottom	SMD
R242	A11371-1R63	313.44	204.6	Bottom	SMD			R242	A11371-1R63	313.44	204.6	Bottom	SMD
R243	A11371-1R63	309.23	204.6	Bottom	SMD			R243	A11371-1R63	309.23	204.6	Bottom	SMD
R244	A11371-1R63	301.62	221.7	Bottom	SMD			R244	A11371-1R63	301.62	221.7	Bottom	SMD
R245	A11371-1R63	306.07	221.7	Bottom	SMD			R245	A11371-1R63	306.07	221.7	Bottom	SMD
R246	A11371-1R63	301.62	221.1	Bottom	SMD			R246	A11371-1R63	301.62	221.1	Bottom	SMD
R247	A11371-1R63	306.07	221.1	Bottom	SMD			R247	A11371-1R63	306.07	221.1	Bottom	SMD
R248	A11371-1R63	309.23	212.06	Bottom	SMD			R248	A11371-1R63	309.23	212.06	Bottom	SMD
R249	A11371-1R63	322.58	212.06	Bottom	SMD			R249	A11371-1R63	322.58	212.06	Bottom	SMD
R250	A11371-1R63	322.58	204.6	Bottom	SMD			R250	A11371-1R63	322.58	204.6	Bottom	SMD
R251	A11371-1R63	313.44	204.6	Bottom	SMD			R251	A11371-1R63	313.44	204.6	Bottom	SMD
R252	A11371-1R63	309.23	204.6	Bottom	SMD			R252	A11371-1R63	309.23	204.6	Bottom	SMD
R253	A11388-10001	192.93	201.7	Top	SMD			R253	A11388-10001	192.93	201.7	Top	SMD
R254	A11388-10001	188.38	201.7	Top	SMD			R254	A11388-10001	188.38	201.7	Top	SMD
R255	A11388-10001	192.93	201.1	Top	SMD			R255	A11388-10001	192.93	201.1	Top	SMD
R256	A11388-10001	188.38	201.1	Top	SMD			R256	A11388-10001	188.38	201.1	Top	SMD
R257	A11388-10001	174.1	195.38	Top	SMD			R257	A11388-10001	174.1	195.38	Top	SMD
R258	TBD IPC 1206	188.79	201.1	Top	SMD			R258	TBD IPC 1206	188.79	201.1	Top	SMD
R259	A11371-1R63	318.13	212.06	Bottom	SMD			R259	A11371-1R63	318.13	212.06	Bottom	SMD
R260	A11371-1R63	318.13	204.6	Bottom	SMD			R260	A11371-1R63	318.13	204.6	Bottom	SMD
R261	A11371-1R63	318.14	204.6	Bottom	SMD			R261	A11371-1R63	318.14	204.6	Bottom	SMD
R262	TBD IPC 1206	184.24	184.38	Top	SMD			R262	TBD IPC 1206	184.24	184.38	Top	SMD
R263	A11371-1R63	322.58	201.1	Bottom	SMD			R263	A11371-1R63	322.58	201.1	Bottom	SMD
R9	A11388-93111	221.62	135.6	Bottom	SMD			R9	A11388-93111	221.62	135.6	Bottom	SMD
R264	A11388-10001	181.21	181.6	Top	SMD			R264	A11388-10001	181.21	181.6	Top	SMD
R265	A11388-10001	181.21	176.49	Top	SMD			R265	A11388-10001	181.21	176.49	Top	SMD
R266	A11388-10001	181.21	181.6	Top	SMD			R266	A11388-10001	181.21	181.6	Top	SMD
R267	A11388-10001	158.76	181.6	Top	SMD			R267	A11388-10001	158.76	181.6	Top	SMD
R268	A11388-10001	163.91	173.49	Top	SMD			R268	A11388-10001	163.91	173.49	Top	SMD
R269	A11388-10001	170.24	184.38	Top	SMD	CPN		R269	A11388-10001	170.24	184.38	Top	SMD
R270	A11388-10001	170.24	181.6	Top	SMD			R270	A11388-10001	170.24	181.6	Top	SMD
R207	A11371-1R05	161.21	167.02	Top	SMD			R207	A11371-1R05	161.21	167.02	Top	SMD
R208	TBD IPC 1206	184.24	173.49	Top	SMD			R208	TBD IPC 1206	184.24	173.49	Top	SMD
R209	A11371-1R05	202.11	213.38	Top	SMD	CPN		R209	TBD IPC 0805	202.11	213.38	Top	SMD
R210	A11371-1R05	192.58	156.9	Top	SMD	CPN		R210	TBD IPC 0805	192.58	156.9	Top	SMD
R7	A11388-99002	476.13	275.62	Top	SMD	X 1.14		R7	A11388-99002	477.01	275.62	Top	SMD
R8	A11388-99002	476.13	275.62	Top	SMD			R8	A11388-99002	476.13	275.62	Top	SMD
R9	A11388-10001	426.04	401.1	Bottom	SMD	X 3.18		R9	A11388-10001	424.84	401.1	Bottom	SMD
R999	A11388-10001	424.81	170.81	Top	SMD			R999	A11388-10001	424.81	170.81	Top	SMD
RT1	101103-1	242.84	370.18	Top	Hand			RT1	101103-1	242.84	370.18	Top	Hand
RT2	101103-1	156.79	283.07	Top	Hand	X 0.51	Y 3.53	RT2	101103-1	156.28	283.07	Top	Hand
RT3	101103-1	242.84	370.18	Top	Hand			RT3	101103-1	242.84	370.18	Top	Hand
Rx	1-1825071-5	330.66	168.04	Top	SMD			TR	1-1825071-5	330.66	168.04	Top	SMD
TP1	TESTPOINT	473.58	342.7	Bottom			Removed						
TP10	TESTPOINT	395.7	193.39	Bottom			Removed						
TP11	TESTPOINT	221.62	209.7	Bottom			Removed						
TP12	TESTPOINT	221.62	209.7	Bottom			Removed						
TP13	TESTPOINT	352.35	201.03	Bottom			Removed						
TP14	TESTPOINT	241.25	324.14	Bottom			Removed						
TP15	1-880063-2	314	354.87	Top	SMD	CPN		TP15	1-880063-2	313	354.87	Top	SMD
TP16	TESTPOINT	384.84	321.14	Bottom			Removed						
TP17	TESTPOINT	472.07	371.14	Bottom			Removed						
TP18	TESTPOINT	239.4	147.54	Bottom			Removed						
TP19	TESTPOINT	472.07	371.14	Bottom			Removed						
TP2	TESTPOINT	287.88	344.6	Bottom			Removed						
TP20	TESTPOINT	374.08	386.7	Top			Removed						
TP21	TESTPOINT	384.75	341.01	Bottom			Removed						
TP22	TESTPOINT	287.88	337.7	Bottom			Removed						
TP23	TESTPOINT	422.84	386.7	Top			Removed						
TP24	TESTPOINT	422.84	384.7	Bottom			Removed						
TP25	TESTPOINT	416.93	370.14	Bottom			Removed						
TP26	TESTPOINT	287.27	331.01	Bottom			Removed						
TP27	TESTPOINT	385.88	335.14	Bottom			Removed						
TP28	TESTPOINT	384.75	335.14	Bottom			Removed						
TP29	TESTPOINT	459.14	362.1	Bottom			Removed						
TP30	TESTPOINT	458.93	387	Bottom			Removed						
TP38	1-880063-1	396.88	267.54	Top	SMD	CPN		TP38	1-880063-2	396.88	267	Top	SMD
TP39	1-880063-1	464.82	326.1	Top	SMD	CPN		TP39	1-880063-2	464.82	326.1	Top	SMD
TP4	TESTPOINT	404.13	381.03	Bottom			Removed						
TP40	TESTPOINT	173.7	195.7	Bottom			Removed						
TP41	TESTPOINT	404.13	381.03	Bottom			Removed						
TP42	TESTPOINT	404.13	381.03	Bottom			Removed						
TP43	TESTPOINT	416.58	271.0	Bottom			Removed						
TP44	TESTPOINT	464.16	387.2	Bottom			Removed						
TP45	TESTPOINT	241.87	119.3	Bottom			Removed						
TP46	TESTPOINT	241.87	119.3	Bottom			Removed						
TP47	TESTPOINT	422.03	384	Bottom			Removed						
TP48	TESTPOINT	281.68	322.7	Bottom			Removed						
TP49	TESTPOINT	241.75	331.4	Bottom			Removed						
TP5	TESTPOINT	384.88	382	Bottom			Removed						
TP50	TESTPOINT	281.68	327.7	Bottom			Removed						
TP51	TESTPOINT	202.88	330.6	Bottom			Removed						
TP52	TESTPOINT	408.8	377.6	Bottom			Removed						
TP53	TESTPOINT	384.87	367.7	Bottom			Removed						
TP54	TESTPOINT	441.98	380.1	Bottom			Removed						
TP55	TESTPOINT	317.5	316.1	Bottom			Removed						
TP56	TESTPOINT	192.28	209.6	Bottom			Removed						
TP57	TESTPOINT	192.28	209.6	Bottom			Removed						
TP6	TESTPOINT	221.29	230.3	Bottom			Removed						
TP60	TESTPOINT	384.58	230.4	Bottom			Removed						
TP62	TESTPOINT	405.14	243.1	Bottom			Removed						
TP63	TESTPOINT	287.03	236.1	Bottom			Removed						
TP64	TESTPOINT	287.03	236.1	Bottom			Removed						
TP65	TESTPOINT	279.72	188.12	Top			Removed						
TP66	TESTPOINT	192.28	201.3	Bottom			Removed						
TP67	TESTPOINT	184.55	113.6	Bottom			Removed						
TP68	TESTPOINT	384.88	231.6	Bottom			Removed						
TP69	TESTPOINT	407.43	236.1	Bottom			Removed						
TP7	TESTPOINT	407.43	236.1	Bottom			Removed						
TP70	TESTPOINT	183.38	273.6	Bottom			Removed						
TP71	TESTPOINT	452.88	385.2	Bottom			Removed						
TP72	TESTPOINT	462.28	271.1	Bottom			Removed						
TP73	TESTPOINT	287.26	371.1	Bottom			Removed						
TP8	TESTPOINT	453.22	243.1	Bottom			Removed						
TP9	TESTPOINT	453.22	243.1	Bottom			Removed						
U1	IC 5066-2	320.16	389.88	Top	Hand			U1	IC 5066-2	320.04	389.88	Top	Hand
U100	102723-2	450.69	376.54	Top	Hand			U100	102723-2	450.66	376.54	Top	Hand
U101	IC 8014-2	435.62	379.7	Top	SMD			U101	IC 8014-2	435.63	379.7	Top	SMD
U102	IC 8038-8	462.28	373.48	Top	SMD	X 0.12		U102	IC 8038-8	462.12	373.48	Top	SMD
U103	IC 8038-8	462.28	373.48	Top	SMD			U103	IC 8038-8	462.12	373.48	Top	SMD
U105	110552-1	282.17	327.68	Top	SMD			U105	110552-1	282.57	327.68	Top	SMD
U106	1-73682-1	473.22	281.68	Top	Radial			U106	1-73682-1	473.22	282.68	Top	Radial
U14	IC 8918-1	320.02	389.88	Top	Hand	INST		U14	IC 8918-1	320.02	389.88	Top	Hand
U2	IC 5066-2	320.16	374.48	Top	Hand	X 1.27		U2	IC 5066-2	320.04	374.48	Top	Hand
U200	102723-2	450.69	375.14	Top	Hand			U200	102723-2	450.66	375.14	Top	Hand
U201	102723-2	271.16	351.12	Top	SMD			U201	102723-2	271.12	351.12	Top	SMD
U202	IC 8038-8	462.28	373.48	Top	SMD			U202	IC 8038-8	462.28	373.48	Top	SMD
U204	IC 8038-8	249.34	327.68	Top	SMD			U204	IC 8038-8	249.34	327.68	Top	SMD
U205	110552-1	232.41	327.68	Top	SMD			U205	110552-1	232.41	327.68	Top	SMD
U206	1-73682-1	473.22	280.13	Top	Radial			U206	1-73682-1	473.22	281.13	Top	Radial
U22	IC 8918-1	321.02	387.54	Top	Hand	INST		U22	IC 8918-1	321.02	387.54	Top	Hand
U23	110552-1	229.79	264.48	Top	SMD	X 1.4		U23	110552-1	229.79	264.48	Top	SMD
U3	110552-1	229.79	264.48	Top	SMD			U3	110552-1	229.79	264.48	Top	SMD
U5	110552-1	483.38	271.8	Top	SMD	X 1.4		U5	110552-1	481.84	271.38	Top	SMD
U500	IC 8014-2	185.1	188.8	Top	SMD			U500	IC 8014-2	185.1	188.8	Top	SMD
W1	101031-1	206.45	359.38	Top	Radial			W1	101031-1	206.55	302.68	Top	Radial
W2	101031-1	184.33	346.28	Top	Radial			W2	101031-1	184.33	346.28	Top	Radial
W3	A11038-21402P	158.12	231.28	Top	Hand	CPN	X -1.99	W3	1-880036-1	155.06	239	Top	Hand
W5	A11661-21401	198.14	241.03	Top	Hand	Removed							
W6	101031-1	206.45	346.28	Top	Radial			W6	101031-1	205.12	346.28	Top	Radial
W9	101031-1	184.33	346.28	Top	Radial			W9	101031-1	184.33	346.28	Top	Radial
WP1	111279-00501	113.99	372.7	Top	Hand			WP1	111279-00501	113.99	372.7	Top	Hand
WP2	111279-00501	113.99	371.7	Top	Hand			WP2	111279-00501	113.99	371.7	Top	Hand
WP3	111279-00501	113.99	377.1	Top	Hand			WP3	111279-00501	113.99	377.1	Top	Hand
WP4	101031-1	222.38	323.18	Top	Radial			WP4	101031-1	222.38	323.23	Top	Radial
WP5	101031-1	222.25	249.94	Top	Radial			WP5	101031-1	222.25	249.94	Top	Radial
WP7	101031-1	219.5	187.18	Top	Radial			WP7	101031-1	219.5	187.18	Top	Radial
X1	1-95081-1	119.98	147.18	Top	Hand			X1	1-95081-1	119.98	147.18	Top	Hand
X10	DOD BONE	201.47	166.17	Top	Hand			X10	DOD BONE	201.47	166.17	Top	Hand
X11	DOD BONE	201.47	166.17	Top	Hand			X11	DOD BONE	201.47	166.17	Top	Hand
X12	IC 8962-1	184.79	283.07	Top	Hand	Removed							
X13	TAB DETAIL	181.15	291.62	Top	Hand	X -1.13		X13	TAB DETAIL	181.15	291.62	Top	Hand
X14	DOD BONE	194.96	229.23	Top	Hand			X14	DOD BONE	194.96	229.23	Top	Hand
						New		X15	HOLE Number 6 S	155.28	302.93	Top	Hole
						New		X16	HOLE Number 6 S	155.28	302.93	Top	Hole
						New		X17	HOLE Number 6 S	184.28	288.68	Top	Hole
						New		X18	HOLE CONNECT	145.62	364.93	Top	Hole
						New		X19	HOLE CONNECT	136.62	364.49	Top	Hole
X2	TARGET	508	137.15	Top	Hand			X2	TARGET	508	137.15	Top	Hole
						New		X20	HOLE BTC 171	278.71	335.28	Top	Hole
						New		X21	HOLE CONNECT	287.67	407.68	Top	Hole
						New		X22	HOLE BTC 171	301	336.73	Top	Hole
						New		X23	HOLE CONNECT	430.53	327.68	Top	Hole
						New		X24	HOLE CONNECT	185.12	332.47	Top	Hole
						New		X25	HOLE CONNECT	201.67	332.47	Top	Hole
						New		X26	HOLE CONNECT	218.22	332.47	Top	Hole
						New		X27	HOLE CONNECT	230.4	313.67	Top	Hole
						New		X28	HOLE CONNECT	308.42	163.71	Top	Hole
						New		X29	HOLE CONNECT	189.3	164.68	Top	Hole
X3	TARGET	158.88	612.75	Top	Hand			X3	TARGET	158.88	612.75	Top	Hole
						New		X30	HOLE CONNECT	116.38	412.73	Top	Hole
						New		X31	HOLE BTC 171	285.68	112.08	Top	Hole
						New		X32	HOLE CONNECT	454.68	112.08	Top	Hole
						New		X33	HOLE CONNECT	490.23	394.97	Top	Hole
						New		X34	HOLE CONNECT	411.82	362.94	Top	Hole
						New		X35	HOLE Number 6 S	454.68	362.94	Top	Hole
						New		X36	HOLE CONNECT	454.68	408.68	Top	Hole
						New		X37	Filtering Hole	443.75	352.1	Bottom	
						New		X38	Filtering Hole	443.75	160.68	Bottom	
X4	TAB DETAIL	185.58	223.2	Top	Hand			X4	TAB DETAIL	185.58	223.2	Top	Hand
X5	TAB DETAIL	188.9	224.8	Top	Hand			X5	TAB DETAIL	188.9	224.8	Top	Hand
X6	TAB DETAIL	188.95	188.5	Top	Hand	Removed							
X7	TAB DETAIL	188.95	188.5	Top	Hand			X7	TAB DETAIL	210.82	348.63	Top	Hand
X8	TAB DETAIL	181.15	168.32	Top	Hand			X8	TAB DETAIL	181.15	168.32	Top	Hand
X9	TAB DETAIL	210.82	261.63	Top	Hand	X 20.84		X9	TAB DETAIL	210.82	261.63	Top	Hand
XF001	FIDUCIAL GLOBAL	149.62	185.9	Top	SMD			XF001	FIDUCIAL GLOBAL	149.62	185.9	Top	SMD
XF002	FIDUCIAL GLOBAL	490.23	185.12	Top	SMD			XF002	FIDUCIAL GLOBAL	490.23	185.12	Top	SMD
XF003	FIDUCIAL GLOBAL	149.62	185.9	Top	SMD			XF003	FIDUCIAL GLOBAL	149.62	185.9	Top	SMD
XF004	FIDUCIAL GLOBAL	490.23	185.12	Top	SMD			XF004	FIDUCIAL GLOBAL	490.23	185.12	Top	SMD
XF005	FIDUCIAL GLOBAL	149.62	185	Bottom	SMD			XF005	FIDUCIAL GLOBAL	149.62	185.1	Bottom	SMD
XF006	FIDUCIAL GLOBAL	490.23	185	Bottom	SMD			XF006	FIDUCIAL GLOBAL	490.23	185.1	Bottom	SMD
XF007	FIDUCIAL GLOBAL	490.23	389.88	Bottom	SMD			XF007	FIDUCIAL GLOBAL	490.23	389.88	Bottom	SMD
XH1	HOLE ICT	483.83	159.32	Top	Hole			XH1	HOLE ICT	483.83	159.32	Top	Hole
XH2	HOLE ICT	483.83	159.32	Top	Hole	X -3.18		XH2	HOLE ICT	483.83	159.32	Top	Hole
XH3	HOLE ICT	142.24	391	Top	Hole			XH3	HOLE ICT	142.24	391	Top	Hole
XH4	HOLE ICT	355.1	229.87	Top	Hole			XH4	HOLE ICT	355.1	229.87	Top	Hole
XH5	HOLE ICT	157.48	157.48	Top	Hole			XH5	HOLE ICT	157.48	157.48	Top	Hole
XH6	HOLE ICT	188.95	188.95	Top	Hole			XH6	HOLE ICT	188.95	188.95	Top	Hole
XTP1	TESTPOINT	423	156.12	Bottom		X -1.27	Y -3.53	XTP1	TESTPOINT	423.27	156.12	Bottom	
						New		XTP10	TESTPOINT JBTcip -	442.6	321.3	Bottom	
						New		XTP11	TESTPOINT JBTcip -	437.63	321.3	Bottom	
						New		XTP12	TESTPOINT JBTcip -	393	368.18	Top	
						New		XTP13	TESTPOINT JBTcip -	640.06	321.18	Top	
						New		XTP14	TESTPOINT JBTcip -	436.9	344.68	Top	
						New		XTP15	TESTPOINT JBTcip -	436.9	344.68	Top	
						New		XTP16	TESTPOINT JBTcip -	443.82	368.63	Top	
						New		XTP17	TESTPOINT JBTcip -	473.96	368.63	Top	
						New		XTP18	TESTPOINT JBTcip -	363.04	348.63	Top	
						New		XTP19	TESTPOINT	473.58	342.7	Bottom	
XTP2	TESTPOINT	226.83	188.38	Bottom		X -1.27	Y -3.53	XTP2	TESTPOINT	226.83	188.38	Bottom	
						New		XTP20	TESTPOINT	484.84	348.63	Top	
						New		XTP21	TESTPOINT	489.29	348.63	Bottom	
						New		XTP22	TESTPOINT	485.77	339.68	Bottom	
						New		XTP23	TESTPOINT	487.81	331.53	Bottom	
						New		XTP24	TESTPOINT	487.81	331.53	Bottom	
						New		XTP25	TESTPOINT	232.68	229.68	Bottom	
						New		XTP26	TESTPOINT	241.25	324.14	Bottom	
						New		XTP27	TESTPOINT	395.68	322.68	Bottom	

							None	KTP28	FIXSTPOINT		392.37	322.18	Bottom		
							None	KTP29	FIXSTPOINT		391.187	324.14	Bottom		
							None	KTP30	FIXSTPOINT	J57cp - 1	394.72	324.14	Bottom		
							None	KTP30	FIXSTPOINT		394.72	324.14	Bottom		
							None	KTP31	FIXSTPOINT		400.22	310.13	Bottom		
							None	KTP32	FIXSTPOINT		413.41	372.24	Bottom		
							None	KTP33	FIXSTPOINT		239.91	167.44	Bottom		
							None	KTP34	FIXSTPOINT		239.91	167.44	Bottom		
							None	KTP35	FIXSTPOINT		391.187	292.14	Bottom		
							None	KTP36	FIXSTPOINT		372.11	386.32	Top		
							None	KTP37	FIXSTPOINT		341.19	330.99	Bottom		
							None	KTP38	FIXSTPOINT		384.97	330.99	Bottom		
							None	KTP39	FIXSTPOINT		403.52	315.41	Bottom		
							None	KTP40	FIXSTPOINT	J57cp - 1	417.38	324.33	Bottom		
							None	KTP41	FIXSTPOINT		422.41	382.48	Bottom		
							None	KTP42	FIXSTPOINT		422.41	382.48	Bottom		
							None	KTP43	FIXSTPOINT		415.93	373.63	Bottom		
							None	KTP44	FIXSTPOINT		415.93	373.63	Bottom		
							None	KTP45	FIXSTPOINT		403.52	357.3	Bottom		
							None	KTP46	FIXSTPOINT		403.52	357.3	Bottom		
							None	KTP48	FIXSTPOINT		415.93	315.63	Bottom		
							None	KTP47	FIXSTPOINT		488.08	315.63	Bottom		
							None	KTP48	FIXSTPOINT		488	315.39	Bottom		
							None	KTP49	FIXTPNT J57cp - 1		193.96	204.04	Top		
							None	KTP50	FIXTPNT J57cp - 1		193.96	204.04	Top		
							None	KTP51	FIXTPNT J57cp - 1		176.26	186.74	Top		
							None	KTP51	FIXTPNT J57cp - 1		138.96	185.16	Top		
							None	KTP52	FIXTPNT J57cp - 1		13.71	185.36	Top		
							None	KTP52	FIXTPNT J57cp - 1		166.5	176.48	Top		
							None	KTP54	FIXTPNT J57cm - 1		293.35	315.58	Bottom		
							None	KTP55	FIXTPNT J57cp - 1		410.96	301.14	Bottom		
							None	KTP56	FIXTPNT J57cp - 1		410.96	301.14	Bottom		
							None	KTP7	FIXTPNT J57cp - 1		228.73	275.29	Top		
							None	KTP8	FIXTPNT J57cm - 1		288.73	184.78	Bottom		
							None	KTP9	FIXTPNT J57cm - 1		346.63	185.78	Bottom		
KT21	TESTPOINT	287.02	346.07	Bottom				KT21	FIXSTPOINT		287.02	346.07	Bottom		
KT21	TESTPOINT	287.02	346.07	Bottom				KT22	FIXSTPOINT		287.02	346.07	Bottom		
KT214	TESTPOINT	175.52	369.85	Bottom				KT214	FIXSTPOINT		175.52	369.85	Bottom		
KT214	TESTPOINT	180.97	369.85	Bottom				KT214	FIXSTPOINT		180.97	369.85	Bottom		
KT213	TESTPOINT	156.44	361.31	Bottom				KT213	FIXSTPOINT		156.44	361.31	Bottom		
KT214	TESTPOINT	151.76	361.31	Bottom				KT216	FIXSTPOINT		151.76	361.31	Bottom		
KT24	TESTPOINT	263.21	346.07	Bottom				KT24	FIXSTPOINT		263.21	346.07	Bottom		
KT24	TESTPOINT	278.4	346.07	Bottom				KT24	FIXSTPOINT		278.4	346.07	Bottom		
KT23	TESTPOINT	263.21	346.07	Bottom				KT23	FIXSTPOINT		263.21	346.07	Bottom		
KT24	TESTPOINT	257.81	279.7	Bottom				KT24	FIXSTPOINT		257.81	279.7	Bottom		
KT25	TESTPOINT	252.72	279.7	Bottom				KT25	FIXSTPOINT		252.72	279.7	Bottom		
KT25	TESTPOINT	247.49	279.7	Bottom				KT25	FIXSTPOINT		247.49	279.7	Bottom		
KT21	TESTPOINT	227.87	352.19	Bottom				KT21	FIXSTPOINT		227.87	352.19	Bottom		
KT21	TESTPOINT	227.87	352.19	Bottom				KT21	FIXSTPOINT		227.87	352.19	Bottom		
KT29	TESTPOINT	227.87	358.1	Bottom				KT29	FIXSTPOINT		227.87	358.1	Bottom		
G1	TBD JUMPER 164	228.4	277.82	Top	None			G1	TBD JUMPER 164		228.4	277.82	Top	None	