

EC Series - Keep the IP-Rating Clear

Martin Global Service

This document describes how to Keep the IP-Rating on an EC-10 or EC-20 in good condition



WARNING! Read the safety information in the "Safety and Installation guide, EC-Series" before installing, powering, operating or servicing this product.



IMPORTANT! To avoid electro-static discharge, ensure that you are electrically connected to ground (earth) when you are perform service procedures on any product within the EC-series range.



Think safety!

Observe all warnings printed on products and in user manuals. Isolate the product from power and allow it to cool for 5 minutes if it has been in use. If you are not 100% sure that a product is installed safely, remove and store it.

If you are in any doubt about how to install, operate or service a Martin product safely, contact Martin for advice. If necessary, contact the Martin 24-hour emergency hotline available worldwide on +45 70 200 201 or in the USA on 1-888-TECH-180.

1. Reassembling the Panel After Service


If any of the situations described in this sections occur the back-panel sealing ring must be replaced in order to keep the panel IP rated.

Back-Panel sealing ring: P/N 32023525

Check the back-panel sealing ring is without gaps



No cracks..



No wires trapped...



Page 2/3

2. After Service Check Points

Check the top sealing ring P/N 20601030

Check the display foil P/N 33001124





Check the screws in the back panel.

They might get loose over time, tighten them (1,5Nm)

No gaps allowed (see picture)



Check the screws

Only Use:

2.5 Torx M4x8bh Torx black P/N 08070708

Or 2.5 Allen key screws



All rights reserved. No part of this manual may be reproduced, in any form or by any means, without permission in writing from Martin Professional A/S, Denmark.

Information subject to change without notice. Martin Professional A/S and all affiliated companies disclaim liability for any injury, damage, direct or indirect loss, consequential or economic loss or any other loss occasioned by the use of, inability to use or reliance on the information contained in this document.

Page 3/3